

## Discover our SpO2 measurement

SpO2 set measures the oxygen saturation in the blood and heart rate. It is used when there is a suspicion of breathing malfunction, during oxygen therapy, during general anesthesia and while performing rescue actions. The SpO2 set consist of: a monitoring device and an SpO2 sensor that measures the pulse and blood oxygen saturation. The SpO2 cables, which can function as extension cables, are additional elements that are especially useful when there is a sensor with a shorter cable. The SpO2 adapters that ensure firm grip on patients body work as a complement to the whole set.

### SpO2 SENSORS

Our SpO2 sensors allow for non-invasive measurement of blood oxygen saturation level. The wide range of models in our offer allows to fit the sensors to the patient's age, their weight or the place of the device's application. Thanks to the wide range of used plugs it is easy to match the sensor with the majority of monitors on the market. SpO2 sensors are available in two basic categories: disposable and reusable ones.

**A disposable SpO2 sensor** might be used multiple times provided that it is used by a single patient within one stay at the hospital. The specific structure of the sensors, soft foam and flannel; Velcro or gently adhering area fastening, makes using more comfortable. Owing to the utility advantages, the SpO2 sensors are often used in neonatology, pediatrics, geriatrics and for patients with burns.


**Reusable SpO2 sensors**, thanks to their high-durability, can be cleaned and disinfected with the use of standard hospital procedures. Those actions ensure the long operating time and reduce the cost of the single measurement, because they can be used by multiple patients.

### SpO2 CABLES

SpO2 cable is for the elongation of a signal trajectory between an SpO2 sensor and a monitoring device. They improve the comfort level of the work, especially when it comes to the sensors with shorter cable. Moreover, the extension cables can be used as an intermediary system for different plugs, which is used when transferring patients between different hospital units equipped in different types of monitoring devices. Specific, flexible and durable construction of the SpO2 cable guarantees long and failure-free operating time.

### SpO2 ADAPTERS

SpO2 adapters are the additional accessories that attach the SpO2 sensor to the patient's body. Thanks to them, the stable attachment of the sensor is possible, which allows proper measurement of a patient. There are disposable and reusable versions of SpO2 adapters.



## Contents

Disposable SpO2 sensors	2
Reusable SpO2 sensors	3
Spo2 cables	6

How to get in touch? Contact us via email at [export@sorimex.eu](mailto:export@sorimex.eu)



## Nellcor disposable SpO2 sensors



T.SAT.CJPD09C001 / CR003-5301BA

adhesive foam for adults (>30 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CJPN09C001 / CR003-5301BD

adhesive foam for adults  
(>30 kg) and neonates (<3 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CJKN09C001 / CR003-5301AD

adhesive textile for adults  
(>30 kg) and neonates (<3 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CJKI09C001 / CR003-5301AC

adhesive textile for infants (1-15 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CJRDN9C001 / CR003-5301CA

non-adhesive sponge for adults  
(>30 kg) and neonates (<3 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CJRPi9C001 / CR003-5301CB

non-adhesive sponge for children  
(15-40 kg) and infants (1-15 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove

## Nellcor OxiMax disposable SpO2 sensors



T.SAT.CJPD09C01X / CR003-5302BA

adhesive foam for adults (>30 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CJPN09C01X / CR003-5302BD

adhesive foam for adults  
(>30 kg) and neonates (<3 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CJPP09C01X / CR003-5302BB

adhesive foam for children (15-40 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CJKN09C01X / CR003-5302AD

adhesive textile for adults  
(>30 kg) and neonates (<3 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CJKP09C01X / CR003-5302AB

adhesive textile for children (15-40 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CJKI09C01X / CR003-5302AC

adhesive textile for infants (1-15 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CJRDN9C01X / CR003-5302CA

non-adhesive sponge for adults  
(>30 kg) and neonates (<3 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CJRPi9C01X / CR003-5302CB

non-adhesive sponge for children  
(15-40 kg) and infants (1-15 kg)  
cable length 90 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove

## Nellcor reusable SpO2 sensors



T.SAT.CWUD30C001 / CR001-5301G  
ear clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWKD10C001 / CR001-5301AS  
finger clip for adults (>30 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWKD30C001 / CR001-5301A  
finger clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWKP10C001 / CR001-5301CS  
finger clip for children (15-40 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWKP30C001 / CR001-5301C  
finger clip for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWSD10C001 / CR001-5301BS  
soft for adults (>30 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWSD30C001 / CR001-5301B  
soft for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWSP10C001 / CR001-5301DS  
soft for children (15-40 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove



T.SAT.CWSP30C001 / CR001-5301D  
soft for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 7-pin, with a double  
groove

## Nellcor OxiMax reusable SpO2 sensors



T.SAT.CWUD10C01X / CR001-5303GS  
ear clip for adults (>30 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWUD30C01X / CR001-5303G  
ear clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWKD10C01X / CR001-5303AS  
finger clip for adults (>30 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWKD30C01X / CR001-5303A  
finger clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWKP10C01X / CR001-5303CS  
finger clip for children (15-40 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWKP30C01X / CR001-5303C  
finger clip for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove

## Nellcor OxiMax reusable SpO2 sensors



T.SAT.CWYG10C01X / CR001-5303FS

multi-site  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWYG30C01X / CR001-5303F

multi-site  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWSD10C01X / CR001-5303BS

soft for adults (>30 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWSD30C01X / CR001-5303B

soft for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWSP10C01X / CR001-5303DS

soft for children (15-40 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove



T.SAT.CWSP30C01X / CR001-5303D

soft for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, D-Sub 9-pin, purple with a  
double groove

## Draeger / Siemens reusable SpO2 sensors



T.SAT.CWKD30C023 / CR001-6301A

finger clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, round 7-pin



T.SAT.CWKP30C023 / CR001-6301C

finger clip for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, round 7-pin



T.SAT.CWSD30C023 / CR001-6301B

soft for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, round 7-pin



T.SAT.CWSP30C023 / CR001-6301D

soft for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, round 7-pin

## GE Ohmeda reusable SpO2 sensors



T.SAT.CWKD30C121 / CR001-3106A

finger clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, rectangular 11-pin



T.SAT.CWKP30C121 / CR001-3106C

finger clip for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, rectangular 11-pin



T.SAT.CWSD30C121 / CR001-3106B

soft for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, rectangular 11-pin



T.SAT.CWSP30C121 / CR001-3106D

soft for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, rectangular 11-pin

## Nihon Kohden reusable SpO2 sensors



T.SAT.CWKD30C036 / CR001-5503A

finger clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Nihon Kohden 14-pin



T.SAT.CWKP30C036 / CR001-5503C

finger clip for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Nihon Kohden 14-pin



T.SAT.CWSD30C036 / CR001-5503B

soft for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Nihon Kohden 14-pin



/ CR001-5503D

soft for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Nihon Kohden 14-pin

## Philips reusable SpO2 sensors



T.SAT.CWUD10C091 / CR001-6001GS

ear clip for adults (>30 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWUD30C091 / CR001-6001G

ear clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWKD30C091 / CR001-6001A

finger clip for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWKP10C091 / CR001-6001CS

finger clip for children (15-40 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWKP30C091 / CR001-6001C

finger clip for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWYG30C091 / CR001-6001F

multi-site  
cable length 300 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWSD30C091 / CR001-6001B

soft for adults (>30 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWSP10C091 / CR001-6001DS

soft for children (15-40 kg)  
cable length 100 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin



T.SAT.CWSP30C091 / CR001-6001D

soft for children (15-40 kg)  
cable length 300 cm, 1 piece in a pack,  
male plug, Philips D-shaped 8-pin

## Nellcor SpO2 cables



T.SAT.KA9W22C029 / CR002-5102

cable length 220 cm, 1 piece in a pack  
female 9-pin plug on the sensor  
side; male lemo 6-pin plug on the  
apparatus side



T.SAT.KA9W22C048 / CR002-5112

cable length 220 cm, 1 piece in a pack  
female 9-pin plug on the sensor  
side; male SCSI 14-pin plug on the  
apparatus side



T.SAT.KA9W22C069 / CR002-5301

cable length 220 cm, 1 piece in a pack  
female 9-pin plug on the sensor  
side; male lemo 7-pin plug on the  
apparatus side

## Nellcor-Draeger SpO2 cables



T.SAT.KA9W22C023 / CR002-6301

cable length 220 cm, 1 piece in a pack  
female 9-pin plug on the sensor  
side; male lemo 8-pin plug on the  
apparatus side



T.SAT.KA9W22C028 / CR002-6305

cable length 220 cm, 1 piece in a pack  
female 9-pin plug on the sensor  
side; male lemo 7-pin plug on the  
apparatus side

## Nellcor-Philips SpO2 cables



T.SAT.KA9W22C043 / CR002-6005

cable length 220 cm, 1 piece in a pack  
female 9-pin plug on the sensor side;  
male plug, Philips D-shaped 8-pin on  
the apparatus side



T.SAT.KA9W30C043 / CR002-6005

cable length 300 cm, 1 piece in a pack,  
female 9-pin plug on the sensor side;  
male plug, Philips D-shaped 8-pin on  
the apparatus side

## Nellcor-Siemens SpO2 cables



T.SAT.KA9W22C033 / CR002-6306

cable length 220 cm, 1 piece in a pack  
female 9-pin on the sensor side; male  
plug, round 10-pin on the apparatus  
side

How to get in touch? Contact us via email at [export@sorimex.eu](mailto:export@sorimex.eu)



SORIMEX sp. z o.o. sp. k.  
ul. Równinna 25, 87-100 Toruń, Poland  
tel. +48 56 657 77 51  
[export@sorimex.eu](mailto:export@sorimex.eu)



Manufactured in accordance with  
Medical Device Directive 93/42/EEC (MDD)