




**ECG
electrodes**



**ECG cables
and wires**



**SpO2
measurement**



**Temperature
measurement**

Product catalogue 2022

SORIMEX 



About us



We have been in the market for 30 years. This wouldn't have been possible if it had not been for the trust placed in us by our clients and partners. Because of this trust, we can continuously develop and deliver better products - ECG electrodes, cables, wires and a range of accessories for medical equipment.

The simplest way to describe what we do is electromedicine. We design and manufacture high quality, specialised products based on modern technology, knowledge and years of engineering experience. Our ECG electrodes, cables and wires as well as accessories for medical equipment are used for diagnostics, treatment and other medical procedures.

With our experience of many types of client need, we're confident in our ability to meet your needs, realise an individual order and provide the highest standard of customer support. When designing and manufacturing the product you ordered, we take into account not just your requirements and instructions, but also your expectations; consulting with you at every stage.

The advanced technology we use every day allows us to manufacture large numbers of cables and electrodes in short periods of time. Please take a look at other products available in our offer.

The most important thing to us is seeing you satisfied with our services. You will have our full support during the production of cables for your medical equipment. We carry out your request from the very first concept of the product, through its development to realisation.

The technology we use allows us to meet your requirements and create a product that is personalised to your needs. Products from the standard offer and designed for individual orders can be personalised on an OEM basis.

European manufacturer of medical devices

Table of Contents

OEM possibility	5
ECG electrodes	9
Disposable ECG electrodes for resting test, diagnostics & monitoring	13
Disposable ECG electrodes for holter and stress tests	17
Disposable ECG electrodes - pediatric	19
Pre-wired ECG electrodes - neonatal	22
Reusable ECG electrodes	23
Intended use and ordering information	24
ECG cables & leadwires	25
ECG cables for diagnostics	31
Detachable ECG holter cables	43
Non-detachable ECG holter cables	44
Detachable ECG cables for monitoring	46
Non-detachable ECG cables for monitoring	55
Leadwires	64
SpO2 measurement	71
Disposable SpO2 sensors	77
Reusable SpO2 sensors	79
SpO2 interface cables	135
SpO2 accessories	142
Temperature measurement	143
Reusable temperature sensors	147

Quality management System



The SORIMEX company holds a Quality Management System Certificate for medical devices in accordance with the requirements of EN ISO 13485 Standard, issued by the Polskie Centrum Badań i Certyfikacji S.A. Certification Body member of the IQNET, in terms of design, development, production and distribution of a wide range of medical devices.



Your need Our solution

MEDICAL CABLES AND ECG ELECTRODES



● **IDEA**



DRAFT ●



● **DESIGN**



PROTOTYPE ●



● **PRODUCT**



OEM Possibility

IDEA

We have a solution for you regardless of whether you are looking for a standard or a custom product that will revolutionise the market.

Are you looking for a new product or one based on existing solutions? In both cases you can count on our professional support. The experience we have gained over the years allows us to meet custom requirements for cable and cable systems or ECG electrodes.

Do you only have a photo of the product or a drawing of your idea? Or you already have clearly defined technical requirements? No matter how developed your idea or concept, with our support you will soon be putting your plans and thoughts into practice. Contact us and together we will plan specific actions in the form of a roadmap.

DRAFT

At the initial stage of the process, you provide us with information which we use to create the first sketches and functional concepts of the product. Based on your guidelines and technical requirements, we define the boundary conditions and verify the technological capabilities necessary to implement the project.

DESIGN

At this stage, you're invited to evaluate and consult our proposed solutions. Together, we discuss possible changes in the project in order to fully tailor it to your needs; our top priority. To achieve this goal, we use modern design and measurement tools which allow us to adapt the product to your expectations.

Taking into account functional and useful requirements, and following the guidelines in medical device standards, we give the product its final shape.

The selection of materials takes place in consultation with you at the same time meeting the REACH and RoHS criteria.

PROTOTYPE

Before introducing the product into mass production, we create a prototype which is shared with you for verification. At this stage, you can ensure it meets your requirements by testing its function. The modern technologies we use give us the opportunity to implement unconventional solutions if required.

PRODUCT

At the last stage, we proceed to the production of the product based on a mutually agreed and accepted project.


You can be sure of the highest quality of workmanship, because we rely on proven materials, advanced technologies, modern machinery and many years of experience, knowledge and teamwork.

Ultimately, you receive a product that complies with your idea, requirements, needs and expectations.

**If you are interested in cooperation based on one of the above agreements, contact us today!
export@sorimex.eu**

OEM Possibility

ECG electrodes



- 1 A wide range of shapes and sizes**
allows optimal placement, application and removal of the electrode
- 2 Perfect adhesiveness**
a strong, skin friendly adhesive is a guarantee of stable and comfortable electrode placement. The use of hypoallergenic adhesive protects skin from being irritated
- 3 Gel**
ensures reliable flow of signal. There is a liquid or solid gel available
- 4 Backing**
in the form of flexible PE foam (which has increased resistance to water) or perforated nonwoven enables skin breathing
- 5 Sensor**
silver chloride (Ag/AgCl) covered sensor ensures perfect conductivity and exact signal transfer from the patient's body to the ECG device, as well as precise examination reading. For X-ray examination, electrodes with radio-translucent snaps are also available
- 6 Additional elements**
grater, incision in the electrodes Holter, tab for easy application

To assure the highest level of product personalization we offer individually designed packaging, labels and instructions. We adapt the final form and product design to your concept, which is at the heart of all of our actions.

We offer cooperation based on:

- ☒ order
- ☒ distribution agreement
- ☒ individual agreement (private brand)
- ☒ OEM agreement
- ☒ subcontractor agreement

If you are interested in cooperation based on one of the above agreements, contact us today!
export@sorimex.eu

OEM Possibility

ECG cables and leadwires



- 1 Built-in resistors prevent the cable and the apparatus from damage**
- 2 Color-marked plugs, clamp and latch allow for easy identification**
- 3 Made only of materials approved for contact with the skin of the patient**
- 4 Pins in the plugs are gold-plated which ensure constant voltage**
- 5 Shielded cables made of low noise materials**
- 6 Flat surface makes cleaning easy**

✓
REACH

✓
ROHS

✓
WITHOUT PVC

✓
WITHOUT
ASBESTOS



SORIMEX

the heart of experience



Manufactured in accordance with
Medical Device Regulation (EU) 2017/745 of the European Parliament and of the Council (MDR)

EN ISO 13485
EN ISO 14971
EN 1041
EN ISO 15223-1
EN ISO 10993-1
EN 62366



ECG
electrodes



New generation of ECG electrodes!


EK-S 45 PSG

- A **new type** of packaging - **double strip** with 2 rows of 5 mirrored electrodes ideal for 12 channel ECG examination
- **Improved formula** of a solid gel with non-odour hydrogel and electrical properties
- 11% **less consumption** of PET film and foam
- New possibilities thanks to the **new line** for the production of ECG electrodes





Multi-stage
quality control
at the highest level



Disposable ECG electrodes heart + for resting test, diagnostics & monitoring

- variety of shapes, sizes and gels ensures **comfort when adjusting** the electrode to the test needs

EK-S 22 PSG

EK-S 25 PSG

EK-S 30 PSG RTG

EK-S 30 PSG


- x-ray (RTG) in the product name means the possibility to conduct **X-ray tests** without removing the electrodes

REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 22 PSG	46 x 22,5 mm	polyethylene foam	solid	children infants	50 pcs / 2250 pcs
EK-S 25 PSG	ø 25,7 mm	polyethylene foam	solid	children infants	50 pcs / 2500 pcs
EK-S 30 PSG RTG	ø 30 mm	polyethylene foam	solid	children infants	50 pcs / 2000 pcs
EK-S 30 PSG	ø 30 mm	polyethylene foam	solid	children infants	50 pcs / 2000 pcs



Disposable ECG electrodes heart + for resting test, diagnostics & monitoring

- the **unique shape** and small size of the electrodes allow good adherence to the surface of the small patient's body
- x-ray (RTG) in the product name means the possibility to conduct **X-ray tests** without removing the electrodes

EK-S 36 P



EK-S 37 P RTG



EK-S 40 PSG



EK-S 42 PSG



REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 36 P	∅ 36 mm	polyethylene foam	liquid	children	50 pcs / 2000 pcs
EK-S 37 P RTG	37 x 35 mm	polyethylene foam	liquid	children	50 pcs / 1500 pcs
EK-S 40 PSG	40 x 36 mm	polyethylene foam	solid	children	50 pcs / 1500 pcs
EK-S 42 PSG	42 x 36 mm	polyethylene foam	solid	adults children	50 pcs / 2000 pcs

Disposable ECG electrodes heart + for resting test, diagnostics & monitoring

- foam flexibility maintains the electrode in a stable position, increasing the **effectiveness of the test**
- precise diagnosis** is possible due to the reduction of artifacts
- x-ray (RTG) in the product name means the possibility to conduct **X-ray tests** without removing the electrodes
- the sensor covered with Ag/AgCl ensures **perfect conduction**

EK-S 45 PSG



EK-S 45 PSG RTG



also in the 2-row version

EK-S 44 PSG



EK-S 48 PSG



REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 44 PSG	44 x 30 mm	polyethylene foam	solid	adults children	50 pcs / 2000 pcs
EK-S 45 PSG	45 x 42 mm	polyethylene foam	solid	adults	50 pcs / 1500 pcs
EK-S 45 PSG RTG	45 x 42 mm	polyethylene foam	solid	adults	50 pcs / 1500 pcs
EK-S 48 PSG	57 x 34 mm	polyethylene foam	solid	adults	50 pcs / 1500 pcs

Disposable ECG electrodes heart + for resting test, diagnostics & monitoring

EK-S 50 P



EK-S 50 PSG



EK-S 51 P



EK-S 55 P



EK-S 55 PSG



EK-S 56 P



REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 50 P	ø 50 mm	polyethylene foam	liquid	adults	50 pcs / 1500 pcs
EK-S 50 PSG	ø 50 mm	polyethylene foam	solid	adults	50 pcs / 1500 pcs
EK-S 51 P	50 x 40 mm	polyethylene foam	liquid	adults	50 pcs / 1500 pcs
EK-S 55 P	ø 55 mm	polyethylene foam	liquid	adults	30 pcs / 1200 pcs
EK-S 55 PSG	ø 55 mm	polyethylene foam	solid	adults	50 pcs / 1500 pcs
EK-S 56 P	55 x 35 mm	polyethylene foam	liquid	adults	50 pcs / 1500 pcs

Disposable ECG electrodes heart + for holter and stress tests

- reliable quality of recordings with long-term ECG monitoring and stress test
- powerful adhesive for electrode stability, also when the patient is moving

EK-S 35 PSG ST



EK-S 39 PSG



- for especially active patients during a test
- best for people who sweat excessively or are overweight or underweight
- delicate non-woven fabric allows the skin to breathe freely during a test in challenging conditions
- loose mesh of non-woven fabric perfectly adjusts to the shape of the body

EK-S 50 NWSG



REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 35 PSG ST	50 x 35 mm	polyethylene foam	solid	adults	50 pcs / 1500 pcs
EK-S 39 PSG	39 x 36 mm	polyethylene foam	solid	children	50 pcs / 1500 pcs
EK-S 50 NWSG	ø 50 mm	perforated non-woven	solid	adults	50 pcs / 2500 pcs

Disposable ECG electrodes heart + for holter and stress tests

- enable normal patient activity without any disturbances to recordings thanks to **dedicated installation** of ECG wires
- flexible foam ensures the patient's **comfort** during the test

EK-S 60 P

EK-S 60 PSG

EK-S 60 PSG XC

EK-S 61 P

EK-S 61 PSG


REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 60 PSG XC	55 x 40 mm	polyethylene foam	solid	adults	50 pcs / 2000 pcs
EK-S 60 P	55 x 40 mm	polyethylene foam	liquid	adults	50 pcs / 1500 pcs
EK-S 60 PSG	55 x 40 mm	polyethylene foam	solid	adults	50 pcs / 2000 pcs
EK-S 61 P	55 x 53 mm	polyethylene foam	liquid	adults	50 pcs / 1500 pcs
EK-S 61 PSG	55 x 53 mm	polyethylene foam	solid	adults	50 pcs / 1500 pcs

Disposable ECG electrodes heart + pediatric

- variety of shapes and sizes for easy adjustment for the **youngest patients**
- x-ray (RTG) in the product name means the possibility to conduct **X-ray tests** without removing the electrodes

EK-S 22 PSG

EK-S 25 PSG

EK-S 30 PSG RTG

EK-S 30 PSG


REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 22 PSG	46 x 22,5 mm	polyethylene foam	solid	children infants	50 pcs / 2250 pcs
EK-S 25 PSG	ø 25,7 mm	polyethylene foam	solid	children infants	50 pcs / 2500 pcs
EK-S 30 PSG RTG	ø 30 mm	polyethylene foam	solid	children infants	50 pcs / 2000 pcs
EK-S 30 PSG	ø 30 mm	polyethylene foam	solid	children infants	50 pcs / 2000 pcs

Disposable ECG electrodes heart + pediatric

- **efficient monitoring** regardless of the child's spontaneous movement
- x-ray (RTG) in the product name means the possibility to conduct **X-ray tests** without removing the electrodes

EK-S 36 P



EK-S 37 P RTG



EK-S 39 PSG



REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 36 P	ø 36 mm	polyethylene foam	liquid	children	50 pcs / 2000 pcs
EK-S 37 P RTG	37 x 35 mm	polyethylene foam	liquid	children	50 pcs / 1500 pcs
EK-S 39 PSG	39 x 36 mm	polyethylene foam	solid	children	50 pcs / 1500 pcs

Disposable ECG electrodes heart + pediatric

- a sensor covered with Ag/AgCl ensures **perfect conduction**
- a clear and **reliable signal** thanks to the use of a safe solid gel

EK-S 40 PSG



EK-S 42 PSG




EK-S 44 PSG



REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-S 40 PSG	40 x 36 mm	polyethylene foam	solid	children	50 pcs / 1500 pcs
EK-S 42 PSG	42 x 36 mm	polyethylene foam	solid	adults children	50 pcs / 2000 pcs
EK-S 44 PSG	44 x 30 mm	polyethylene foam	solid	adults children	50 pcs / 2000 pcs

Pre-wired ECG electrodes neonatal

EK-1/23 WpHG/2j-L50
EK-1/23 WpHG/2j-L50/RTG



- a **hydrogel** created especially for neonatal electrodes
- **wet gel**, especially valuable in incubators
- the possibility to **reposition the electrodes multiple times** during everyday care of young patients
- X-ray (RTG) in the product name means the possibility to conduct **X-ray tests** without removing the electrodes
- **no dirt** and irritation
- compatible with ECG cables finished with **DIN 1.5 mm** sockets

REF	Size	Backing	Gel	Patient group	Quantity (pouch / case)
EK-1/23 WpHG/2j-L50	23 x 23 mm wire lenght 50 cm	perforated non-woven	hydrogel	neonates	3 pcs / 150 pcs
EK-1/23 WpHG/2j-L50/RTG	23 x 23 mm wire lenght 50 cm	perforated non-woven	hydrogel	neonates	3 pcs / 150 pcs

Reusable ECG electrodes

- quick and stable application when conducting resting electrocardiogram
- possible use with adults and children
- the large size of the conducting element improves conduction
- installation intended for connection with a Ø 4 mm diameter banana plug, latch or clamp

EP-15



EP-24



EKK-1M



EKK-1




EKK-2



REF	Description	Patient group	Quantity (pouch)
EP-15	suction electrodes ø 15 mm, blue / coloured	children	6 pcs
EP-24	suction electrodes ø 24 mm, blue / coloured	adults children	6 pcs
EKK-1	clamp electrodes, coloured	adults	4 pcs
EKK-1M	clamp electrodes with metal clip, coloured	adults	4 pcs
EKK-2	clamp electrodes, coloured	children	4 pcs

REF	Size	Backing	Gel	Patient group	Number of electrodes			Cases per EUR-pallet	Resting test, diagnostics & monitoring	Holter & stress tests	X-ray examination
					strip	pouch	case				
EK-S 22 PSG	46 x 22,5 mm	polyethylene foam	solid	children, infants	5 pcs	50 pcs	2250 pcs	64 pcs	X		
EK-S 25 PSG	ø 25,7 mm	polyethylene foam	solid	children, infants	5 pcs	50 pcs	2500 pcs	64 pcs	X		
EK-S 30 PSG	ø 30 mm	polyethylene foam	solid	children, infants	5 pcs	50 pcs	2000 pcs	64 pcs	X		
EK-S 30 PSG RTG	ø 30 mm	polyethylene foam	solid	children, infants	5 pcs	50 pcs	2000 pcs	64 pcs	X		X
EK-S 30 PSG ST	50 x 35 mm	polyethylene foam	solid	adults	5 pcs	50 pcs	1500 pcs	64 pcs		X	
EK-S 36 P	ø 36 mm	polyethylene foam	liquid	children	5 pcs	50 pcs	2000 pcs	64 pcs	X		
EK-S 37 P RTG	37 x 35 mm	polyethylene foam	liquid	children	5 pcs	50 pcs	1500 pcs	64 pcs	X		X
EK-S 39 PSG	39 x 36 mm	polyethylene foam	solid	children	5 pcs	50 pcs	1500 pcs	64 pcs		X	
EK-S 40 PSG	40 x 36 mm	polyethylene foam	solid	children	5 pcs	50 pcs	1500 pcs	64 pcs	X		
EK-S 42 PSG	42 x 36 mm	polyethylene foam	solid	adults, children	5 pcs	50 pcs	2000 pcs	64 pcs	X		
EK-S 44 PSG	44 x 30 mm	polyethylene foam	solid	adults, children	5 pcs	50 pcs	2000 pcs	64 pcs	X		
EK-S 45 PSG	45 x 42 mm	polyethylene foam	solid	adults	5 pcs	50 pcs	1500 pcs	64 pcs	X		
EK-S 45 PSG (2-row version)	45 x 42 mm	polyethylene foam	solid	adults	2 x 5 pcs	50 pcs	1500 pcs	64 pcs	X		
EK-S 45 PSG RTG	45 x 42 mm	polyethylene foam	solid	adults	4 pcs	50 pcs	1500 pcs	64 pcs	X		X
EK-S 48 PSG	57 x 34 mm	polyethylene foam	solid	adults	5 pcs	50 pcs	1500 pcs	64 pcs	X		
EK-S 50 NWSG	ø 50 mm	perforated non-woven	solid	adults	single cut	50 pcs	2500 pcs	64 pcs		X (stress test)	
EK-S 50 P	ø 50 mm	polyethylene foam	liquid	adults	4 pcs	50 pcs	1500 pcs	48 pcs	X		
EK-S 50 PSG	ø 50 mm	polyethylene foam	solid	adults	4 pcs	30 pcs	1500 pcs	48 pcs	X		
EK-S 51 P	50 x 40 mm	polyethylene foam	liquid	adults	5 pcs	50 pcs	1500 pcs	48 pcs	X		
EK-S 55 P	ø 55 mm	polyethylene foam	liquid	adults	3 pcs	50 pcs	1200 pcs	48 pcs	X		
EK-S 55 PSG	ø 55 mm	polyethylene foam	solid	adults	3 pcs	50 pcs	1500 pcs	48 pcs	X		
EK-S 56 P	55 x 35 mm	polyethylene foam	liquid	adults	5 pcs	50 pcs	1500 pcs	64 pcs	X		
EK-S 60 P	55 x 40 mm	polyethylene foam	liquid	adults	5 pcs	50 pcs	1500 pcs	48 pcs		X	
EK-S 60 PSG	55 x 40 mm	polyethylene foam	solid	adults	5 pcs	50 pcs	2000 pcs	48 pcs		X	
EK-S 60 PSG XC	55 x 40 mm	polyethylene foam	solid	adults	5 pcs	50 pcs	2000 pcs	48 pcs		X	
EK-S 60 PT	55 x 40 mm	polyethylene foam	liquid	adults	5 pcs	50 pcs	2000 pcs	48 pcs		X	
EK-S 61 P	55 x 53 mm	polyethylene foam	liquid	adults	3 pcs	50 pcs	1500 pcs	48 pcs		X	
EK-S 61 PSG	55 x 53 mm	polyethylene foam	solid	adults	3 pcs	50 pcs	1500 pcs	48 pcs		X	
EK-1/23 WpHG/2j-L50	23 x 23 mm	perforated non-woven	hydrogel	neonates	-	3 pcs	150 pcs	-	X		
EK-1/23 WpHG/2j-L50/RTG	23 x 23 mm	perforated non-woven	hydrogel	neonates	-	3 pcs	150 pcs	-	X		X





SORIMEX

the heart of experience



Manufactured in accordance with
Medical Device Regulation (EU) 2017/745 of the European Parliament and of the Council (MDR)

EN ISO 13485
EN ISO 14971
EN 1041
EN ISO 15223-1
EN ISO 10993-1
EN 62366



**ECG
cables & leadwires**

ECG cables & leadwires

ECG cables and leadwires transmit the electric signal from patients to the ECG unit. They are used for diagnostic and monitoring purposes. The electronic signal (on the basis of which the ECG recording is made) depends heavily on the quality and the structure of cables or leadwires. Cables are made of flexible material, ending in a suitable plug for the specific ECG device. At the patient's end there may be a plug, clamp or snap. The cable may also contain additional electronic elements such as: resistors, chokes and surge suppressors. The structure of cables and leadwires is matched to the specific devices or the bulk cable they will be connected to. Cables and leadwires are used together with disposable and reusable ECG electrodes and ECG adaptors which connect the cable ending with a banana plug to the disposable ECG electrode.

We provide wide range of ECG accessories:

- ECG cables for monitoring, diagnosing and Holter examinations
- leadwires in DIN, VS, HP, SL switching systems
- all types of patient side endings: clamp, snap or banana plugs
- variety of ECG device plugs, compatible with the majority of devices on the market
- different lengths of cables and leadwires, and the possibility to order custom lengths
- the printing on the cable can be custom made as well
- specified products can be sterilized for use in operating rooms

The ECG devices that we offer apply in many clinical areas:

- during anesthesiological procedures
- at ICU's
- at cardiological units
- at post-operating units
- at stress test laboratories
- in medical transportation
- at private cardiological practice
- in every day-use environment

Accuracy and durability

- handmade products, with quality control at every phase during production
- the quality and durability of our products are a result of 30 years' experience
- our shielded cables are made of low noise materials
- pins in the plugs are gold-plated ensuring constant voltage
- our attention to detail guarantees the highest quality of measurement

Safety

- the safe leadwire sockets prevent unintentional plugging into the electricity source
- the isolated banana plugs ensure the safety of the patient
- built-in resistors prevent the cable and the apparatus from damage
- the additional surge suppressor protects the cable and the device during defibrillation and prevents the possibility of the patient receiving an electric shock
- do not contain latex or PVC

Convenience

- flexible, elastic and light cables ensure the patients' greater comfort
- flat surface makes cleaning easy
- clips prevent entangling, thus simplifying use
- color-marked plugs, clamps and snaps allow for easy identification
- readable labels placed on the cable connectors make it easier to locate the correct leads



ECG cables & leadwires

ECG cables for diagnostics

The ECG cables for diagnostics are designed to record the bioelectric heart rate during hospitalization and for the purpose of ambulatory use. Offered devices can be performed with protection against defibrillation impulse (KT cables). The wide range of possible plugs makes our ECG cables compatible with the majority of ECG devices on the market. The ECG diagnostics cables have 10 leads: 6 precordial and 4 limbic ones.



ECG holter cables

The ECG Holter cables are designed to transmit electric signals obtained from the patients body through electrodes, to the ECG apparatus that converts those signals. They are used while performing non-invasive, common examination, which is a diurnal ECG monitoring, which is to rate the heart electric activity during 24 hour period.

We offer both detachable and non-detachable cables. We produce cables with 3, 5, 7 and 10 ECG leads. Our wide range of plugs ensures our ECG cables are compatible with the majority of Holter devices on the market.



ECG cables for monitoring

They are designed for monitors registrants to cardiac electrical activity of the patient's chest, in the form of tensions between the ECG electrodes. We offer cables in both detachable and non-detachable versions with 3,4 and 5 leads. The patient's side can be ended with a banana plug, clamp or snap. Our wide range of plugs ensures our ECG cables are compatible with the majority of cardiomonitors used in medical institutions.






ECG cables & leadwires



Patient side endings


Every non-detachable cable and connecting leadwire has one of the following patient side ending, that is used to connect them to the ECG electrodes.

photograph with product marker

					
name of ending	snap	snap with label	clamp	4 mm small banana plug	8 mm banana plug with hole

Index of cables and connection types in our offer

	ECG cables for diagnostics	ECG holter cables		
overview	are used for recording bioelectric heart rate during hospitalization and for the purpose of ambulatory use	used during common examination, that is 24 hour ECG monitoring		
cable type and connection system	non-detachable	non-detachable	detachable DIN	
yoke marking	KT	KS	KH	KM
yoke photo				
patient side ending yoke marking	4, 8, H, H/e, M	H		see: leadwires
number of leads	10	4, 6, 7, 10	5, 7, 10	5, 7

	ECG cables for monitoring						
overview	are used for monitors registrants to cardiac electrical activity of the patient's chest, in the form of tensions between the ECG electrodes						
cable type and connection system	non-detachable	detachable					
		DIN	VS	HP	SL	KN	ME
yoke marking	KB	KM	KA	KAD	KAS	KAK	KAE
yoke photo							
patient side ending yoke marking	M, H		see: leadwires				
number of leads	3, 4, 5	3, 4, 5	3, 4, 5	3, 5	3, 5	3, 5	3, 5

ECG cables & leadwires


Leadwires

Leadwires are used to connect electrodes, attached to a patient's body, with a detachable ECG cable, or directly to the ECG device. We offer leadwires 60 cm, 90 cm and 110 cm. At the customer's request, we are able to make any length. The patient's side of the cable can be ended with a snap, clamp or banana plug.

We offer following endings from the yoke side of the cable:

leadwire destination	for KM cables	for KA cables	for KAD cables	for KAS cables	for KAK cables	for KAE cables	for cables with 4 mm banana plugs	for cables with 2 mm sockets	for „2d“ ending cables
type of ending	2	2a	HP	SL	KN	ME	3	1	2d
type of connection	DIN	VS	HP	SL	KN	ME	n/a	n/a	n/a












Our company is open to cater to the needs of our customers and meet their demands by individualizing our products whenever necessary.





ECG cables for diagnostics















compatible with


Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Amedtec Medizintechnik				
CardioPart 12, ECG pro	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Aspel				
AsCard 3 / 4 / A4 / B5, Mr Green, Mr Red, Mr Blue, Mr Silver, Mr Gold	KT-10/0-4/0-Rdm/L-70/110/150-IEC	70/110/150 cm		
	KT-10/0-8/0-Rdm/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-8/0-Rdm/L-70/110/250	70/110/250 cm		
	KT-10/0-M/0-Rdm/L-70/110/200-IEC	70/110/200 cm		
treadmill for exercise tests (Aspel B-612)	KT-10/0-H/0ep-Rdm/L-70/110/300	70/110/300 cm		
Avionics / Del Mar				
910, 920, 930, 940, 942, 950, 960, 970, 980	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		

ECG cables for diagnostics

compatible with



Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Bionet				
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
CardioCare 2000, CardioTouch 3000	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/0-Ra/L-50/70/10	50/70/10 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/20-Ra/L-70/110/200	70/110/200 cm		
Biosound MyLab				
	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
30 CD, 30 CV	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		





ECG cables for diagnostics

compatible with


Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Bosch				
501A, 501NV, 503B, 503D, 503NV, 503V, 506, 506D	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
501A, 501NV, 503B, 503D, 503NV, 503V, 506, 506D, 601, 603D, 603ER, 603S, 606	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
BTL				
BTL-08 LT ECG	KT-10/0-4/20-Ram/L-70/110/200	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
BTL-08, LC plus, MT plus, SD3	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/4,7-Ra/L-70/110/200-IEC	70/110/200 cm		
Burdick				
E350, E550, E560, EK10, ELITE, ELITE II	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
Cambridge				
	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
CM 6000 / 6400	KT-10/0-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		

ECG cables for diagnostics

compatible with



Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Ergoline				
Autoruler, Autoscript 6 / 12, Cardiette, EK 3003 / 3012, Ergoscript	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Esaote / Biomedica				
EKG P80, EKG P120	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
EKG P80, P8000	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Farum				
E-600 / 600G	KT-10/0-4/1-Ra/L-70/110/200-IEC	70/110/200 cm		
E300	KT-10/0-4/1-Ab/L-70/110/200-IEC	70/110/200 cm		
Fidelity				
LP 3000	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		





ECG cables for diagnostics

compatible with

Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Fukuda Denshi				
Alpha 500 / 600, FCP-2201	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
Autocardiner, Cardimax FX-2111 / FX-3010 / FX-4010 / FX-7101 / FX-7102 / FX-7202 / FX-7401, FCP-2155	KT-10/0-4/0-Ka/L-70/110/200-IE	70/110/200 cm		
Fukuda M-E				
Cardisunny alpha 1000 / 1100 / 6000A / 6000AX	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
GE / Hellige				
	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
CardioSmart, CardioSoft, CardioSys, Corina, EK 36 / 41 / 43 / 51 / 53 / 56 / 403 / 413 / 512 / 512E / 512P	KT-10/0-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
MAC 400 / 500 / 600 / 800 / 1000 / 1200 / 1200ST / 1600	KT-10/0-4/10-Rd/50K/L-70/110/200-IEC	70/110/200 cm		
MAC 500 / 1100 / 1200 / 1200ST / 1600 / 2000 / 5000 / 5000ST, Micro Smart	KT-10/0-4/10-Md/50K/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-M/10-Md/50K/L-70/110/200	70/110/200 cm		
Gima				
	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
Cardiogima 1M / 3M / 6M / 12 / 12M	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		

ECG cables for diagnostics

compatible with




Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Honeywell / Philips				
Cardioplan ER330, CR 300 / 330	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
Innomed				
Cardio PC/E, HeartMirror, HeartScreen 60G / 80G-L / 112 Clinic / 112 Visit	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Kontron				
	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
EKG P80	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
M4Medical				
	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
M-Trace	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		



ECG cables for diagnostics

compatible with


Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Medea				
	KT-10/0-H/0ep-Rdm/L-70/110/300	70/110/300 cm		
Kardio PCM-u	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
Medical ECONET				
	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Cardio-M, Cardio-M plus	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Mortara				
ELI 150 / 150C / 210 / 230 / 250 / 250C / 300	KT-10/0-4/20-Ram/L-70/110/200	70/110/200 cm		
	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
ELI 150 / 210 / 250 / 350	KT-10/10-H/0e-Ra/L-70/110/200	70/110/200 cm		
	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
ELI 150 / 250 / 350	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		

ECG cables for diagnostics

compatible with



Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Nihon Kohden				
1250 (cardiofax S) / 1350 (cardiofax M) / PEA-1110 (cardiofax CE) / 9130K (cardiofax Q)	KT-10/33-M/0-Na/L-70/110/200	70/110/200 cm		
	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
Cardiofax 651, 6581, 8110	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
ECG-1150 (cardiofax C) / 1250 (cardiofax S) / 1350 (cardiofax M) / 8240 / 8270 / 8330 / 8340 / 8350 / 8350 / 8370 / 84XX / 882X / 9010 / 9020 / 9022 / 9110 / 9130 / 9132 (cardiofax Q) / 9620, PEA-1110 (cardiofax CE)	KT-10/33-4/0-Na/L-70/110/200	70/110/200 cm		
Philips / HP				
	KT-10/0-4/20-Ram/L-70/110/200	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
PageWriter 100 (M1772A) / 200 (M1771A) / 300 (M1770A), 1513 / 154B/C / 1514D / 1515A / 1517A	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/10-H/0e-Ra/L-70/110/200	70/110/200 cm		
Physio Control				
Lifepak 12	KT-10/47-H/0e-77k/L-70/110/200	70/110/200 cm		





ECG cables for diagnostics

compatible with

Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Polymed				
Alpha 6600 / 8800	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
Progetti				
	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
EKG junior, EKG view, EPG6 view, EPG6 view plus	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Schiller				
treadmill for exercise tests	KT-10/0-H/0ep-Rdm/L-70/110/300	70/110/300 cm		
	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Cardiovit AT-1 / AT-2 / AT-2 plus / AT-3 / AT-4 / AT-5 / AT-6 / AT-10 / AT-10 plus / AT-60 / AT-101 / AT-101 easy / AT-101 Tele / AT-102 / AT-102 G2 / AT-104 / AT-104 PC / AT-110 / PT-160 / CS-6 / CS-6/12 / CS-100 / CS-200 / MS-2010 / MS-2015	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
Cardiovit AT-1 / AT-2 / AT-4 / AT-104	KT-10/i-4/10-Raw/L-70/110/200-IEC	70/110/200 cm		

ECG cables for diagnostics

compatible with



Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Schwarzer				
Cardos 12, Cardos light, CU 12	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Cardos 6, Cardos 12	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
VS6	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
SECA				
3000	KT-10/i-4/4,7-Ga/L-70/110/200-IEC	70/110/200 cm		
Siemens				
Cardina C, Cardiostat 1 / 3T / 703 / 710, Cardirex 3T / 4 / 62 / 6T, Cathor, Megacard Elema A/B / R / R/E, Mingocard 3 / 4 / 7, Mingodoc / Mingograph 4 / 62 / 81 / 82 / 740, Mingolog 7, Mingophon 3 / 7 / 310 / 410 / 710 / 720	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	Miracard 1, Sierreg, Sicard 440 / 440S / 460 / 460S / 740 / 803, Sirecust 701	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm	
Cardiostat 31, Cardiostat 31S	KT-10/0-4/0-Ka/L-70/110/200-IEC	70/110/200 cm		



ECG cables for diagnostics

compatible with

Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Spacelabs / Reynolds				
930, 940, 950, 960, 970, 980 (Avionics / Delmar) Cardio-Collect 12, CardioDirect 12, CardioExpress SL3 / SL6 / SL12 / CardioTrack 12	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
CardioDirect 12	KT-10/0-4/20-Ram/L-70/110/200	70/110/200 cm		
Voyager 12	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
Suzuken Kenz				
103, 106	KT-10/0-4/0-73/L-70/110/200-IEC	70/110/200 cm		
von Berg / Hoermann				
Bioset 3500 / 3600 / 3700 / 6000 / 8000 / 9000	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
Bioset 9000	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		

ECG cables for diagnostics

compatible with



Manufacturer	REF	Cable length	Patient side ending	Apparatus side ending
Welch Allyn				
	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
CardioPerfect	KT-10/0-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
CP 10 / 20	KT-10/10-8/0-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/0-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
CP 10 / 20 / 50	KT-10/0-4/20-Ram/L-70/110/200	70/110/200 cm		
CP 50 / 150	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		
Woodway				
Cortex CPX System	KT-10/0-4/20-Ram/L-70/110/200	70/110/200 cm		
Zimmer				
Cardio 1	KT-10/i-M/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-4/4,7-Sa/L-70/110/200-IEC	70/110/200 cm		
CardioSys 2	KT-10/i-4/10-Ra/L-70/110/200-IEC	70/110/200 cm		
	KT-10/i-M/10-Ra/L-70/110/200-IEC	70/110/200 cm		



Detachable ECG holter cables

compatible with

REF & number of leads	Cable lenght	Apparatus side ending	Leadwire side ending	Leads colours
GE / Getemed: Cardio MEM CM 2000 / CM 3000 / CMS 2000 / CMS 3000				
KM-5/0-G17/L-80-52 5	80 cm			
North East Monitoring: DR 180+ Digital Marketing				
KM-7/0-Bs/L-40-72 7	40 cm			
Welch Allyn / Rozinn: RZ 152 R				
KM-7/0-Bs/L-40-72 7	40 cm			




Non-detachable ECG holter cables

compatible with












Manufacturer	REF & number of leads	Cable length	Patient side ending	Apparatus side ending
Aspel				
Aspect 700	KS-7/0-H/0-A9/L-90-73	7 90 cm		
Aspect 812	KS-10/0-H/0ep-A15/L-70/90	10 70/90 cm		
MoniCard Comfort / Standard	KH-5/0-H/0-LA10a/L-70/90/250-51	5 70/90/250 cm		
cust.med				
cust. Flash 100 / 110 / 200 / 220 (third generation)	KH-5/0-Ha/0-CU3/L-60/80-51	5 38/42/46/96/125/150 cm		
GE / Getemed				
	KH-5/0-H/0-G17/L-60/60-52	5 60/60 cm		
	KH-5/0-Ha/0-G17/L-60/120-52	5 60/120 cm		
Cardio MEM CM 2000 / CM 3000 / CMS 2000 / CMS 3000	KH-7/0-Ha/0-G17/L-60/120-72	7 60/120 cm		
	KH-5/0-H/0-G17/L-30/80-52	5 30/80 cm		
	KH-7/0-H/0e-G17/L-27/50-72	7 27/50 cm		
	KH-10/0-H/0e-GCM12/L-31/39/44/49/54/74/79/15	10 31/39/44/49/54/74/79/15 cm		
Medset				
Telesmart-H, Telesmart-P	KH-5/0-Ha/0-TH10a/L-60/10-51C	5 60/10 cm		
Narcotrend-Monitor				
Typ Compact	KH-3/0-H/0-NT/L-30/270-331	3 30/270 cm		





Non-detachable ECG holter cables

compatible with


Manufacturer	REF & number of leads	Cable length	Patient side ending	Apparatus side ending	
North East Monitoring					
DR 180+, Nemca 127 / 130 / 131 / 132	KH-7/0-H/0e-Bs/1/L-40/20-72	7	40/20 cm		
	KH-7/0-H/0e-Bs/1/L-50/40-72	7	50/40 cm		
Schiller					
Microvit MT-100	KH-5/0-Hb/10-MT/L-60/40-52	5	60/40 cm		
Microvit MT-101 / MT-101 nano	KS-4/0-Hb/10-MT101/ L-80/100-45	4	80/100 cm		
	KS-6/0-Hb/10-MT101/ L-80/100-62	6	80/110 cm		
Welch Allyn					
EKG Pro Rekorder	KH-10/0-8/0-FD14a/ L-50/40-IEC	10	50/40 cm		

Detachable ECG cables for monitoring

compatible with





















Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
BCI / Smiths Medical (Biochem International)				
3101, 3304-Auto-corr, 3404-Autocorr Plus, 6100, 6200, 9100, 9200 Advisor, Autocorr	KA-3/1-76c/L-270-31 3			
	KM-3/0-76c/1/L-270-31C 5			
Biazet				
8031 series, 8500 series	KM-3/0-Wb/L-270-32 3			
Burdick				
Medic 3 / 4 / 5	KA-3/1-76c/L-270-32 3			
	KA-3/1-76c/L-270-31 3			
Colin				
BP 308 / 408, CBM 3000	KA-3/1-76c/L-270-31 3			
	KA-3/1-76c/L-270-32 3			
CSI / Criticare				
504 US Pulsox / 504 USP Pulsox / 506 / 507 / 508 / 1100, POET (602-2A) / POET IQ, 8100 POET	KA-3/1-76c/L-270-31 3			
	KM-3/0-76c/1/L-270-31C 3			
Draeger / Siemens				
Vitalguard 2000	KA-3/1-76c/L-270-31 3			
	KM-3/0-76c/1/L-270-31C 3			





Detachable ECG cables for monitoring

compatible with

Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
Elmed				
EMT 2000 / 200P, MPM 2000	KM-3/0-Wb/L-270-32 3			
Emtel				
FX-2000 / 2001 / 2000MD / 2000P	KM-3/0-12d/L-270 3			
	KM-3/0-12m/1/2/L-270-31 3			
GE / Corometrics				
556	KA-3/1-76c/L-270-31 3			
	KM-3/0-76c/1/L-270-31C 3			
GE / Criticon				
Dinamap, Dinamap Plus, Model 8700 / 9700	KA-3/1-76c/L-270-31 3			
	KA-3/1-76c/L-270-32 3			
GE / Datex-Ohmeda				
AS/3, AS/3 compact, AS/3 light, Cardiocap I / II / 5, CS/3, iMM Light / Light solo, S/5 (with M-ESTPR, M-NESTPR, M-EST, M-ESTR, M-NESTR, M-ETP, M-ETPR, M-NETPR), S/5 compact, S/5 Light Monitor, Satlite plus / Trans	KA-3/4,7-Wb/L-270-32 3			

Detachable ECG cables for monitoring

compatible with



Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
GE / Marquette				
DASH 2000 / 2500 / 3000 / 4000 / 5000, Eagle 1000 (rectangle plug) / 3000 (rectangle plug) / 4000, Solar 7000 / 8000 / 8000M/i / 9500, Patient monitor with TRAM-Modul 450 / 451 / 850 / 851, Mac-Lab Catheter System, Responder 3000, S/5 (with M-PRESTN, M-RESTN, M-O-RETN, E-PRESTN, E-RESTN, E-PRETN), FM (with E-PSM, E-PSMP), CARESCAPE B30 / B450 / B650 (with E-PSM(P)W) / B850, Vivid 3 / 5 / S6 / 7 / E9	KAE-5/0-51a/L-270-51 5			
450 / 451 / 850 / 851, Mac-Lab Catheter System, Responder 3000, S/5 (with M-PRESTN, M-RESTN, M-O-RETN, E-PRESTN, E-RESTN, E-PRETN), FM (with E-PSM, E-PSMP), CARESCAPE B30 / B450 / B650 (with E-PSM(P)W) / B850, Vivid 3 / 5 / S6 / 7 / E9	KA-3/0-51b/L-270-31 3			
KA-3/0-51b/L-270-31 3	KM-3/0-51b/L-270-31 3			
Goldway				
UT4000 (with a resistor) / UT400A (with a resistor) / UT400F (with a resistor)	KA-3/1-76c/L-270-31 3			
UT4000 (with a resistor) / UT400A (with a resistor) / UT400F (with a resistor)	KA-3/1-76c/L-270-32 3			





Detachable ECG cables for monitoring

compatible with


Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
Mindray				
	KA-3/1-42b/L-270-31C 3			
BeneView T1 / T5 / T6 / T8, BeneHeart D1 / D3 / D6, iMEC 8 / 10 / 12, MPM-Modul, PM-5000 / 6000	KM-3/1-42b/L-270-31 3			
	KA-5/1-42a/L-270-51 5			
	KA-5/1-42a/L-270-51L 5			
MEC-1000 / 1200, PM-7000 / 8000 / 9000	KA-3/1-76c/L-270-31 3			
	KA-3/1-76c/L-270-32 3			
	KA-5/1-76a/L-270-51 5			
Mindray / Datascope				
2000 / 2001 / 2002 / 2100 / 2200, 3000 / 3000A, MD 3/A, Passport 2 / 2LT / EL / IL / XG / XL, Spectrum, System 82 / 83 / 90 / 90T / 96 / 97, Trio	KA-3/1-76c/L-270-32 3			
	KA-5/1-76a/L-270-51 5			
Nellcor				
791018 Pulsoximeter, E-300 Escort, N-200 / 250 / 1000 / 5500 / 5600 (old version), NP3, NPB-395 / 3900 / 3910 / 3920 / 3930 / 4000	KM-3/0-76c/1/L-270-31C 3			
	KA-3/1-76c/L-270-31 3			
E300, N-200, N-250, N-1000, N-5500, Escort, NP. 3, NPB 395, NPB 4000, NPB 550	KA-3/1-76c/L-270-32 3			

Detachable ECG cables for monitoring

compatible with






Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
Nihon Kohden				
Cardio Life: TEC-5200A (>20421) / 7511 / 7521 / 7531, Life Scope: BSM-8301A / 8302A / 8500A / 8502A, OEC-6102A (>20156) / 6105A (>20226) / 7102A / 8108A	KM-3/0-76c/1/L-270-31C 3			
	KA-3/1-76c/L-270-31 3			
Cardio Life: TEC-7100A / 7200A / 7300A / 7541A, Life Scope: BSM-8301A / 8302 / 8302A / 8500A / 8502 / 8502A, OEC-6102A (s/n>20156) / 6105A (s/n.20226) / 7102A / 8108A	KA-3/1-76c/L-270-32 3			
Philips / ATL				
Apogee 800 / 800+, HDI 1500 / 3000 / 5000, Ultramark 4 / 4+ / 5 / 7 / 400	KA-3/1-76c/L-270-32 3			
	KA-3/1-76c/L-270-31 3			





Detachable ECG cables for monitoring

compatible with

Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
Philips / HP				
78352C, 78354C, 78834C, M4735A, 862472, 862473, 862474, 862475, C3 Monitor, 862478, 862479 C3 Monitor, 863064, 863065, 863066, 863068, SureSigns VM6, SureSigns VM8, ECG Modules M1001A/B, ECG Modules M1002A/B, Multi-Measurement Modules M3000A, Multi-Measurement Modules M3001A, Multi-Measurement Modules M3002A, MMS X2, M8102A MP2 Monitor, M8105A MP5 Monitor, HeartStart XL, Defibrillator Monitor M3535A, Defibrillator Monitor M3536A, HeartStart MRx Defibrillator	KAP-5/1-42a/L-270-51 5			

Detachable ECG cables for monitoring

compatible with


























Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours	
Philips / HP					
Legacy patient monitors: 78352C / 78354C / 78834C, C3-Monitor (862474, 862475, 862478, 862479), fetal monitors: 8030A / 8040A, Serie 50 (M1350A, M1351A, M1353A), IntelliVue MP20 (M8001A) / MP30 (M8002A) / MP40 (M8003A) / MP50 (M8004A) / MP60 (M8005A) / MP70 (M8007A) / MP90 (M8010A) / MP2 (M8102A) / MP5 (M8105A) / MMS X2 (M3002A) / MX600 / MX700 / MX800, Server: M3000A / M3001A, Merlin-System CMS (M1165A, M1166A, M1167A, M1175A, M1176A, M1177A), Viridia (Omicare) 26 / 24 (M1204A, M1205A/B), Sure-Signs VM3 / VM4 (863063) / VM6 (863064, 863065) / VM8 (863066, 863068, 863077), Transportmonitor M1275A, Viridia M3 / M4 (M3046A), Code Master 100 (M2475A / B) / XL (M1722A / B, M1723A / B), HeartStart MRx (M3535A, M3536A) / XL (M4735A), EKG-Modulee: M1001A/B, M1002A / B	KM-3/0-76c/1/L-270-31C	3			
	KM-3/1-42b/L-270-31	3			
	KM-5/0-42a/1/270-51	5			
	KAD-3/1-42b/L-270-32	3			
	KAD-5/1-42b/L-270-51	5			
	KA-5/1-42a/L-270-51	5			
	KA-3/1-42b/L-270-31C	3			
	KA-3/1-48b/L-270-31	3			



Detachable ECG cables for monitoring

compatible with


Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
S&W (Simonsen & Weel)				
CardioAid 730 / 750 / CS / MC+ / LS, DMS 730 / 750 / 930 defibrillator, Diascope 1 / 2 / NT, Neoscope, Seria 8000, System Athena NT / NT+ / NEO, Travalor	KM-3/0-Wb/L-270-32 3			
Siemens				
Acuson C256	KA-3/1-76c/L-270-32 3			
Spacelabs				
	KA-3/1-76c/L-270-31 3			
522 / 524 / 526, 90300 / 90400 / 90470 / 90600 / 90700, Alpha 7 P.C. Bedside, CD Modulus, PC 1 / 2 / Express, Scope, TEK 511 / 512 / 514 / 521	KA-3/1-76c/L-270-32 3			
	KA-5/1-76a/L-270-51 5			
	KM-3/0-76c/1/L-270-31C 3			
Ultraview 90367 / 90369 / 90492 / 90496 / 91220 / 91496	KAS-3/1-SL17/L-270-31 3			
Toshiba Medical Systems				
	KM-3/0-76c/1/L-270-31C 3			
Aplio 50, SSA-660	KA-3/1-76c/L-270-31 3			

Detachable ECG cables for monitoring

compatible with



Manufacturer	REF & number of leads	Apparatus side ending	Leadwire side ending	Leads colours
Welch Allyn				
Atlas, Encore 102EL / 102HP / 104EL / 104HP / 106EL / 106HP / 202EL / 202HP / 204EL / 204HP / 206EL / 206HP, Propaq 102 / 104 / 106, Propaq CS, R600, Ultra-smart, PIC 40 / 50	KM-3/0-76c/1/L-270-31C 3			
	KA-3/1-76c/L-270-31 3			
Encore 202EL, Encore 204EL, Encore 206EL, Propaq 102EL, Propaq 104EL, Propaq 106EL, Propaq 202EL, Propaq 206EL, Propaq CS, Ultra Smart, Atlas	KA-3/1-76c/L-270-32 3			
Zoll				
PD 1200, PD 1400, PD 1600, D 900, M series, R series, E series	KA-3/1-76c/L-270-31 3			
	KA-3/1-76c/L-270-32 3			
PD 1200, PD 1400, PD 1600, M series, R series, E series	KM-3/0-76c/1/L-270-31C 3			





Non-detachable ECG cables for monitoring

compatible with

Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
--------------	-----------------------	---------------------	-----------------------

BCI / Smiths Medical (Biochem International)

	KB-3/0-Hb/1-76c/L-60/270-31	3		
	KB-3/0-M/1-76c/L-60/270-31D	3		
3101, 3304-Autocorr, 3404-Autocorr Plus, 6100, 6200, 9100, 9200 Advisor, Autocorr	KB-3/0-M/1-76c/L-60/270-32	3		
	KB-5/0-H/0-76a/L-60/270-51	5		
	KB-5/0-M/1-76a/L-60/270-51	5		

Biazet

8031 series, 8500 series	KB-3/0-M/0-Wb/L-60/270-32	3		
--------------------------	---------------------------	---	--	--

Burdick


	KB-3/0-Hb/1-76c/L-60/270-31	3		
	KB-3/0-M/1-76c/L-60/270-32	3		
Medic 3 / 4 / 5	KB-5/0-H/0-76a/L-60/270-51	5		
	KB-5/0-M/1-76a/L-60/270-51	5		

Non-detachable ECG cables for monitoring

compatible with















Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
Colin			
	KB-3/0-Hb/1-76c/L-60/270-31 3		
BP 308 / 408, CBM 3000	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
CSI / Criticare			
504 US Pulsox / 504 USP Pulsox / 506 / 507 / 508 / 1100, POET (602-2A) / POET IQ, 8100 POET	KB-3/0-M/1-76c/L-60/270-31D 3		
Draeger / Siemens			
Vitalguard 2000	KB-3/0-M/1-76c/L-60/270-31D 3		
Evita 4, Julian, Vamos, Parameterbox PB 8800, PM 8040 / 8050 / 8060 / 8060 Vitara	KB-3/0-M/0-Pb/L-60/270-32 3		
Edan			
iM8 / iM8A / iM8B, iM9 / iM9A, iM50 / iM60 / iM70 / iM80	KB-3/0-M/0-76a/L-60/270-31 3		
Elmed			
EMT 2000 / 200P, MPM 2000	KB-3/0-M/0-Wb/L-60/270-32 3		
GE / Corometrics			
556	KB-3/0-M/1-76c/L-60/270-31D 3		





Non-detachable ECG cables for monitoring

compatible with


Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
GE / Criticon			
	KB-3/0-Hb/1-76c/L-60/270-31 3		
	KB-3/0-M/1-76c/L-60/270-31D 3		
Dinamap, Dinamap Plus, Model 8700 / 9700	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
GE / Datex-Ohmeda			
AS/3, AS/3 compact, AS/3 light, Cardiocap I / II / 5, CS/3, iMM Light / Light solo, S/5 (with M-ESTPR, M-NESTPR, M-EST, M-ESTR, M-NESTR, M-ETP, M-ETPR, M-NETPR), S/5 compact, S/5 Light Monitor, Satlite plus / Trans	KB-3/0-M/4,7-Wb/L-60/270-32D 3		
GE / Marquette			
DASH 2000 / 2500 / 3000 / 4000 / 5000, Eagle 1000 (rectangle plug) / 3000 (rectangle plug) / 4000, Solar 7000 / 8000 / 8000Mi / 9500, Patient Monitors with TRAM Mo- dule 450 / 451 / 850 / 851, Mac-Lab System, Re- sponder 3000, S/5 (with M-PRESTN, M-RESTN, M-ORETN, E-PRESTN, E-RESTN, E-PRETN), FM (with E-PSM, E-PSMP), CARESCAPE B30 / B450 / B650 (with E-PSM(P)W) / B850, Vivid 3 / 5 / S6 / 7 / E9	KB-3/0-8/0-51b/L-60/270-31 3		
	KB-3/0-M/0-51b/L-60/270-31 3		
	KB-5/0-M/0-51a/L-60/270-51 5		

Non-detachable ECG cables for monitoring

compatible with



Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
Goldway			
	KB-3/0-Hb/1-76c/L-60/270-31 3		
UT4000 (with a resistor), UT400A (with a resistor), UT400F (with a resistor)	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
Igel			
Icard M	KB-3/i-M/4,7-Rp/L-60/200-32 3		
Mindray			
BeneView T1 / T5 / T6 / T8, BeneHeart D1 / D3 / D6, iMEC 8 / 10 / 12, MPM-Modul, PM-5000 / 6000	KB-3/0-M/1-42b/L-60/270-31 3		
	KB-5/0-M/1-42a/L-60/270-51 5		
	KB-3/0-Hb/1-76c/L-60/270-31 3		
	KB-3/0-M/1-76c/L-60/270-31D 3		
MEC-1000 / 1200, PM-7000 / 8000 / 9000	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		





Non-detachable ECG cables for monitoring

compatible with

Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
Mindray / Datascope			
	KB-3/0-Hb/1-76c/L-60/270-31 3		
	KB-3/0-M/1-76c/L-60/270-32 3		
2000 / 2001 / 2002 / 2100 / 2200, 3000 / 3000A, MD 3/A, Passport 2 / 2LT / EL / IL / XG / XL, Spectrum, System 82 / 83 / 90 / 90T / 96 / 97, Trio	KB-3/0-M/1-76c/L-60/270-32D 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
Nellcor			
791018 Pulsoximeter, E-300 Escort, N-200 / 250 / 1000 / 5500 / 5600 (old version), NP3, NPB-395 / 3900 / 3910 / 3920 / 3930 / 4000	KB-3/0-M/1-76c/L-60/270-31D 3		
	KB-3/0-Hb/1-76c/L-60/270-31 3		
	KB-3/0-M/1-76c/L-60/270-32 3		
E-300 Escort, N-200 / 250 / 1000 / 5500, NP3, NBP-395 / 4000 / 5500	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
N-5600 (+ / new version)	KB-3/0-M/0-76a/L-60/270-31 3		
Newtech			
NT3C, NT3E, NT3F	KB-5/0-M/1-42a/L-60/270-51 5		

Non-detachable ECG cables for monitoring

compatible with



















Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
Nihon Kohden			
Cardio Life: TEC-5200A (>20421) / 7511 / 7521 / 7531, Life Scope: BSM-8301A / 8500A / 8502A, OEC-6102A (>20156) / 6105A (>20226) / 7102A / 8108A	KB-3/0-M/0-51b/L-60/270-31 3		
	KB-3/0-Hb/1-76c/L-60/270-31 3		
Cardio Life: TEC-7100A / 7200A / 7300A, Life Scope: BSM-8301A / 8302A / 8500A / 8502A, OEC-6102A (s/n>20156), OEC-6105A (s/n.20226) / 7102A / 8108A	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
Nihon Kohden			
NT3B	KB-5/0-M/1-42a/L-60/270-51 5		
Philips / ATL			
	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-3/0-M/1-76c/L-60/270-31D 3		
Apogee 800 / 800+, HDI 1500 / 3000 / 5000, Ultra-mark 4 / 4+ / 5 / 7 / 400	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		





Non-detachable ECG cables for monitoring

compatible with


Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
Philips / HP			
Legacy Patient Monitors: 78352C / 78354C / 78834C, C3-Series (862474, 862475, 862478, 862479), Fetal Monitors: 8030A / 8040A, 50 series (M1350A, M1351A, M1353A), IntelliVue MP20 (M8001A) / MP30 (M8002A) / MP40 (M8003A) / MP50 (M8004A) / MP60 (M8005A) / MP70 (M8007A) / MP90 (M8010A) / MP2 (M8102A) / MP5 (M8105A) / MMS X2 (M3002A) / MX600 / MX700 / MX800, Server: M3000A / M3001A, Merlin-System CMS (M1165A, M1166A, M1167A, M1175A, M1176A, M1177A), Viridia (Omni-care) 26 / 24 (M1204A, M1205A/B), SureSigns VM3 / VM4 (863063) / VM6 (863064, 863065) / VM8 (863066, 863068, 863077), M1275A, Viridia M3 / M4 (M3046A), Code Master 100 (M2475A / B) / XL (M1722A / B, M1723A / B), HeartStart MRx (M3535A, M3536A) / XL (M4735A), EKG-Module: M1001A/B, M1002A / B			
	KB-3/0-M/1-42b/L-60/270-31 3		
	KB-3/0-M/0-48b/L60/270-31 3		
	KB-5/0-M/1-42a/L-60/270-51 5		
Physio Control			
Lifepak 5 / 6 / 7 / 8 / 9 / 9P / 10, VSM 1 / 2 / 3 / 4 / 5, 1440, ECM	KB-3/0-M/0-76b/L-60/270-31 3		
Lifepak 15	KB-3/0-Hb/10-77b/L-60/270-31 3		
S&W (Simonsen & Weel)			
CardioAid 730 / 750 / CS / MC+ / LS, DMS 730 / 750 / 930 defibrillator, Diascope 1 / 2 / NT, Neoscope, Seria 8000, System Athena NT / NT+ / NEO, Travalier	KB-3/0-M/0-Wb/L-60/270-32 3		
Solaris			
NT3A	KB-5/0-M/1-42a/L-60/270-51 5		
Spacelabs			
522 / 524 / 526, 90300 / 90400 / 90470 / 90600 / 90700, Alpha 7 P.C. Bed-side, CD Modulus, PC 1 / 2 / Express, Scope, TEK 511 / 512 / 514 / 521	KB-3/0-M/1-76c/L-60/270-31D 3		

Non-detachable ECG cables for monitoring

compatible with











Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
Spacelabs			
	KB-3/0-Hb/1-76c/L-60/270-31 3		
522 / 524 / 526, 90300 / 90400 / 90600 / 90700, TEK 511 / 512 / 514 / 521, PC 1 / 2, Express	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
Ultraview 90367 / 90369 / 90492 / 90496 / 91220 / 91496	KB-3/0-M/1-SL17/L-60/270-31 3		
Toshiba Medical Systems			
Aplio 50, SSA-660	KB-3/0-M/1-76c/L-60/270-31D 3		
Welch Allyn			
	KB-3/0-Hb/1-76c/L-60/270-31 3		
Atlas, Encore 102EL / 102HP / 104EL / 104HP / 106EL / 106HP / 202EL / 202HP / 204EL / 204HP / 206EL / 206HP, Propaq 102 / 104 / 106, Propaq CS, R600, Ultrasmart, PIC 40 / 50	KB-3/0-M/1-76c/L-60/270-31D 3		
	KB-3/0-M/1-76c/L-60/270-32 3		
	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		





Non-detachable ECG cables for monitoring

compatible with

Manufacturer	REF & number of leads	Patient side ending	Apparatus side ending
Zoll			
	KB-3/0-Hb/1-76c/L-60/270-31 3		
D 900, PD 1200 / 1400 / 1600, M series	KB-5/0-H/0-76a/L-60/270-51 5		
	KB-5/0-M/1-76a/L-60/270-51 5		
D 900, PD 1200 / 1400 / 1600, M series, R series, E series	KB-3/0-M/1-76c/L-60/270-32 3		
PD 1200 / 1400 / 1600, M series, R series, E series	KB-3/0-M/1-76c/L-60/270-31D 3		

Leadwires

compatible with



REF & number of leads	Cable length	Patient side ending	Main cable side ending
3 mm 9/0 socket			
PD-H-9/L-15-903	1 15 cm		
4 mm 3/0 socket			
PD-M-3/L-18-121	1 18 cm		
PD-H-3/L-18-31	3 18 cm		
PD-H/e-3/L-18-10	10 18 cm		
PD-M-3/L-15-903-10	10 15 cm		
2d			
PG-M/0-2d/L-80-41	4 80 cm		
PG-M/0-2d/L-70-61	6 70 cm		
5PS			
PD-M-5PS/L-100-51C	5 100 cm		
DIN			
PD-H-2/L-60-300	1 60 cm		
PD-H-2/L-60-905	1 60 cm		
PD-H-2/L-60-903	1 60 cm		





Leadwires


compatible with

REF & number of leads	Cable length	Patient side ending	Main cable side ending
DIN			
PD-H-2/L-60-515	1 60 cm		
PD-H-2/L-60-618	1 60 cm		
PD-H-2/L-60-121	1 60 cm		
PD-H-2/L-60-802	1 60 cm		
PD-H-2/L-60-207	1 60 cm		
PD-K-2/L-60-905	1 60 cm		
PD-Ha-2c/L-80-618	1 80 cm		
PD-Ha-2c/L-80-300	1 80 cm		
PD-Ha-2c/L-80-121	1 80 cm		
PD-Ha-2c/L-80-905	1 80 cm		
PD-H-2/L-100-515	1 100 cm		
PD-H-2/L-100-802	1 100 cm		
PD-H-2/L-100-121	1 100 cm		
PD-H-2/L-100-618	1 100 cm		
PD-H-2/L-100-903	1 100 cm		

Leadwires

compatible with

REF & number of leads	Cable length	Patient side ending	Main cable side ending
DIN			
PD-H-2/L-100-905	1 100 cm		
PD-8-2/L-150-905	1 150 cm		
PD-M-2/L-150-802	1 150 cm		
PD-K-2/L-150-903	1 150 cm		
PD-H-2/L-170-515	1 170 cm		
PD-H-2/L-170-121	1 170 cm		
PD-H-2/L-170-300	1 170 cm		
PD-H-2/L-170-905	1 170 cm		
PD-H-2/L-170-802	1 170 cm		
PD-H-2/L-170-207	1 170 cm		
PD-H-2/L-170-903	1 170 cm		
PD-H-2/L-170-618	1 170 cm		
PD-H-2/L-250-903	1 250 cm		
PD-H-2/L-60-31	3 60 cm		
PD-H-2/L-60-32	3 60 cm		





Leadwires

compatible with

REF & number of leads	Cable length	Patient side ending	Main cable side ending
DIN			
PD-M-2/L-60-31	3 60 cm		
PD-M-2/L-60-32	3 60 cm		
PD-H-2/L-60-51	5 60 cm		
PD-H-2/L-60-52	5 60 cm		
PD-M-2/L-60-51	5 60 cm		
PD-M-2/L-60-52	5 60 cm		
PD-M-2/L-90-51	5 90 cm		
PD-H-2/L-60-72	7 60 cm		
PD-H-2/L-70-72	7 70 cm		
PD-H-2/L-100-72	7 100 cm		
PD-Ha-2c/L-80-10	10 80 cm		

Leadwires

compatible with



REF & number of leads	Cable length	Patient side ending	Main cable side ending
HP			
PD-M-HP/L-100-31	3 100 cm		
PD-M/d-HP/L-100-31	3 100 cm		
PD-M-HP/L-90-31	3 90 cm		
PD-M-4PS/L-110-41	4 110 cm		
PD-M-HP/L-100-51	5 100 cm		
HPs			
PD-M/4,7-HPs/L-80-41	4 80 cm		
MA			
PD-8/10-MA/L-70/110-IEC	10 70/110 cm		
ME			
PD-8-ME/L-90-31	3 90 cm		
PD-M-ME/L-90-31	3 90 cm		
PD-M-ME/L-90-51	5 90 cm		





Leadwires

compatible with


REF & number of leads	Cable length	Patient side ending	Main cable side ending
SL			
PD-H-SL/L-60-31	3 60 cm		
PD-M-SL/L-60-31	3 60 cm		
PD-M-SL/L-100-31	3 100 cm		
VS			
PD-M/d-2a/L-100-618	1 100 cm		
PD-M/d-2a/L-100-903	1 100 cm		
PD-M-2a/L-100-121	1 100 cm		
PD-M-2a/L-100-300	1 100 cm		
PD-M-2a/L-100-618	1 100 cm		
PD-M-2a/L-100-903	1 100 cm		
PD-M-2a/L-100-905	1 100 cm		
PD-H-2a/L-60-31C	3 60 cm		
PD-M-2a/L-60-31	3 60 cm		
PD-M-2a/L-60-31C	3 60 cm		
PD-M-2a/L-60-32	3 60 cm		

Leadwires

compatible with



REF & number of leads	Cable length	Patient side ending	Main cable side ending
VS			
PD-8-2a/L-100-31C	3 100 cm		
PD-M/d-2a/L-100-31C	3 100 cm		
PD-M/d-2a/L-100-32	3 100 cm		
PD-M-2a/L-100-31C	3 100 cm		
PD-M-2a/L-100-32	3 100 cm		
PD-H-2a/L-60-51J	5 60 cm		
PD-M-2a/L-60-51	5 60 cm		
PD-M-2a/L-60-51B	5 60 cm		
PD-M-2a/Z2/L-60-59	3 60 cm		
PD-8-2a/L-100-58	5 100 cm		
PD-M/d-2a/L-100-51	5 100 cm		
PD-M/d-2a/Z/L-100-58Z	3 100 cm		
PD-M-2a/L-100-51	5 100 cm		
PD-M-2a/L-150-51	5 150 cm		
PD-M-2a/Z/L-100-58	3 100 cm		





SORIMEX

the heart of experience



Manufactured in accordance with

Medical Device Directive 93/42/EEC (MDD)

Medical Device Regulation (EU) 2017/745 of the European Parliament and of the Council (MDR)
under Article 120 (3)

EN ISO 13485
EN ISO 14971
EN 1041
EN ISO 15223-1
EN ISO 10993-1
EN 62366



**SpO₂
measurement**



SpO2 measurement

SpO2 set measures the oxygen saturation in the blood and heart rate. It is used when there is a suspicion of breathing malfunction, during oxygen therapy, during general anesthesia and while performing rescue actions.

The SpO2 set consist of: a monitoring device and an SpO2 sensor that measures the pulse and blood oxygen saturation. The SpO2 cables, which can function as extension cables, are additional elements that are especially useful when there is a sensor with a shorter cable. The SpO2 adapters that ensure firm grip on patients body work as a complement to the whole set.

SpO2 sensors

Our SpO2 sensors allow for non-invasive measurement of blood oxygen saturation level. The wide range of models in our offer allows to fit the sensors to the patient's age, their weight or the place of the device's application. Thanks to the wide range of used plugs it is easy to match the sensor with the majority of monitors on the market. SpO2 sensors are available in two basic categories: disposable and reusable ones.

A disposable SpO2 sensor might be used multiple times provided that it is used by a single patient within one stay at the hospital. The specific structure of the sensors, soft foam and flannel; Velcro or gently adhering area fastening, makes using more comfortable. Owing to the utility advantages, the SpO2 sensors are often used in neonatology, pediatrics, geriatrics and for patients with burns.

Reusable SpO2 sensors, thanks to their high-durability, can be cleaned and disinfected with the use of standard hospital procedures. Those actions ensure the long operating time and reduce the cost of the single measurement, because they can be used by multiple patients.

SpO2 cables

SpO2 cable is for the elongation of a signal trajectory between an SpO2 sensor and a monitoring device. They improve the comfort level of the work, especially when it comes to the sensors with shorter cable. Moreover, the extension cables can be used as an intermediary system for different plugs, which is used when transferring patients between different hospital units equipped in different types of monitoring devices. Specific, flexible and durable construction of the SpO2 cable guarantees long and failure-free operating time.

SpO2 adapters

SpO2 adapters are the additional accessories that attach the SpO2 sensor to the patient's body. Thanks to them, the stable attachment of the sensor is possible, which allows proper measurement of a patient. There are disposable and reusable versions of SpO2 adapters.

SpO2 measurement



SpO2 sensors

The SpO2 sensor is a medical device that indirectly (non-invasive) controls the blood saturation level of a patient as well as the consequent changes in blood and skin volume. The SpO2 sensors are connected to the multi-parameter monitor. Thanks to the data, gathered and sent by the sensor, this monitor displays (among other things) information concerning patient's oxygenation level and pulse.

The SpO2 sensor is applicable whenever the oxygenation of the patient is unstable, for example:

- during anesthesiological procedures
- at ICUs
- when the permanent supervision of the patient's vital functions is necessary

The SpO2 sensors play vital role in rescue medicine, because they are easy to use and ensure constant information on saturation level of the patient. They are extremely useful for patients with respiratory system and heart malfunctions. Especially for patients with chronic obstructive pulmonary disease (COPD) or for diagnostics of hypopnea and apnea.

Disposable SpO2 sensors

Specification

Sensor connector	PVC plug with golden plated pins
LED and photo detector	660 nm / 905 nm / 940 nm; 4 mm / 8mm
Cable's material and colour	gray PVC cover
Cable's lenght and diameter	0,9 mm; 3,20 mm
Sensor's cover	blue foam with Velcro 3M adhesive tectile material white adhesive foam

catalogue number	SJR	SJK	SJP
name	sensor on a foam with Velcro	textile sensor with adhesive layer	foam sensor with adhesive layer
sensor's size	for adults / neonates > 40 kg / < 3 kg for infants / children 3-50 kg	for adults > 40 kg for children 10-50 kg for infants 3-20 kg for neonates < 3 kg	for adults > 40 kg for children 10-50 kg for infants 3-20 kg for neonates < 3 kg
quantity and color of wires	single, gray	single, gray	single, gray





SpO2 measurement

Reusable SpO2 sensors

Specification

Sensor connector adapter made of nylon with golden plated pins

LED and photo detector ceramic or plastic, plastic photo-sensor

Cable material and colour TPU insulator

Cable length and diameter 0,3 m / 1,1 m / 1,5 m / 3,0 m; 4,00 mm or 2,50 mm

Sensor cover ABS cover, finger clip
silicone corpus (soft and multi-site)

catalogue number	SWBD	SWBP	SWSD	SWSP	SWSI
					
name	finger clip for adults	finger clip for children	'soft' sensor for adults	'soft' sensor for children	'soft' sensor for infants
patient's weight	>40 kg	10-50 kg	>40 kg	10-50 kg	3-20 kg
quantity and color of wires	single, gray	single, gray	single, blue	double, gray	double, gray

catalogue number	SWON	SWYG	SWUD	SWADIN	SWAPI
					
name	wrap for neonates	multi-site universal sensor	ear-clip for adults	alternative wrap for adults / neonates	alternative wrap for children
patient' size	<3 kg	for every patient	>40 kg	>40 kg or <3 kg	10-50 kg
quantity and color of wires	double, gray	double, gray	single, blue	double, gray	double, gray



SpO2 measurement

SpO2 cables

SpO2 cable is for the elongation of a signal trajectory between an SpO2 sensor and a monitor used for the measurement of blood oxygenation. A supply voltage is transmitted from the monitor to the sensor through the cable. However, the other way round transmission consists of the delivery of the signal from the sensor to the monitor. The signal makes it possible for the apparatus to determine the blood oxygenation and a heart rate.

Specification


Connector	compatible, nylon plug with golden plated pins
Cable material and colour	TPU cover, oyster, pale gray
Cable length	1,1 m / 2,2 m / 3,0 m
Cable diameter	4,0 mm / 5,00 mm

SpO2 adapters

SpO2 adapters help attaching the saturation sensor or SpO2 cable during the measurement of blood oxygenation level. Ear grip is used as stabilization for the sensors in the form of an ear clip, whereas bands and wrappers help attaching sensors (mainly spot ones) to patient's limb.

Thanks to using disposable adapters the risk of cross-infection decreases. Reusable adapters on the other hand are easily disinfected and sterilized.

Identification	adapter type	destination	times of use	packaging
A	ear sensor gripper	used with ear-clip SpO2 sensors	multiple	1 pcs
B	ear-clip for adults	used with multi-site SpO2 sensors	multiple	1 pcs
C	silicone band	used with multi-site SpO2 sensors	multiple	1 pcs
D	3 holed foam wrapper	for every patient, used with multi-site SpO2 sensors	multiple	12 pcs
E	3M material tape for adults / newborn	used with multi-site SpO2 sensors	single	25 pcs
F	3M material tape for children / infants	used with multi-site SpO2 sensors	single	25 pcs
G	foam wrapper with Velcro	used for attaching SpO2 cables on patient's wrist	multiple	12 pcs






Disposable SpO2 sensors


compatible with

Manufacturer	REF	Patient sizes	Sensor tape	Sensor connector
--------------	-----	---------------	-------------	------------------


Criticare / CSI

571SD	SJRP/I9-05	pediatric (10-50 kg) infant (3-20 kg)	non-adhesive foam	
-------	------------	--	-------------------	---

Nellcor OxiMax

	SJKD9-01X	adult (>40 kg)	textile adhesive	
MAX-A	SJRD/N9-01X	adult (>40 kg) neonate (<3kg)	non-adhesive foam	
	SJRD/N9-01XP	adult (>40 kg) neonate (<3kg)	non-adhesive foam	
MAX-I	SJKI9-01X	infant (3-20 kg)	textile adhesive	
	SJRP/I9-01X	infant (3-20 kg)	non-adhesive foam	
MAX-N	SJKN9-01X	neonate (<3 kg)	textile adhesive	
	SJRP/I9-01X	neonate (<3 kg)	non-adhesive foam	
MAX-P	SJKP9-01X	pediatric (10-50 kg)	textile adhesive	
	SJRP/I9-01X	pediatric (10-50 kg) infant (3-20 kg)	non-adhesive foam	
	SJRP/I9-01	pediatric (10-50 kg) infant (3-20kg)	non-adhesive foam	

Nellcor OxiSmart

D20	SJKP9-01	pediatric (10-50 kg)	textile adhesive	
D25	SJKD9-01	adult (>40 kg)	textile adhesive	
	SJRD/N9-01	adult (>40 kg)	non-adhesive foam	
I20	SJKI9-01	infant (3-20 kg)	textile adhesive	
N25	SJKN9-01	neonate (<3 kg)	textile adhesive	
	SJRD/N9-01	neonate (<3 kg)	non-adhesive foam	


Disposable SpO2 sensors

compatible with




Manufacturer	REF	Patient sizes	Sensor tape	Sensor connector
--------------	-----	---------------	-------------	------------------


Nihon Kohden

TL-271T	SJRD/N9-16	adult (>40 kg), neonate (<3kg)	non-adhesive foam	
---------	------------	-----------------------------------	-------------------	--

Nonin

6000CI/7000I	SJKI9-08	infant (3-20 kg)	textile adhesive	
	SJRP/19-08	infant (3-20 kg)	non-adhesive foam	
6000CP/7000P	SJRP/19-08	pediatric (10-50 kg)	non-adhesive foam	





Novametrix

AS110	SJRD/N9-03	adult (>40 kg) neonate (<3kg)	non-adhesive foam	
AS120	SJRP/19-03	pediatric (10-50 kg) infant (3-20 kg)	non-adhesive foam	
AS130	SJKI9-03	infant (3-20 kg)	textile adhesive	
AS140	SJRD/N9-03	adult (>40kg) neonate (<3 kg)	non-adhesive foam	



Reusable SpO2 sensors






compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
3F Medical				
IRIS 300, IRIS 400, PhoebePro PMS8300, PhoebePro PWS8310, PhoebePro PMS8110A *Nellcor OxiSmart (sensor tech.)	SWYG11-01	multi-site 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
Adecon				
MCF-21L, DK-8000D, DK-8000L *Nellcor OxiSmart (sensor tech.)	SWYG11-01	multi-site 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
Advanced Instrumentations				
PM-2000A Pro, PM1000F *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
PM-2000A Pro, PM1000F *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Anke				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
ASC-553 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		PK-GDB9w-37/L-220
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<hr/>				
ASC-553 *Goldway-Philips (sensor tech.)	SWBD30-37	adult finger clip 3m		direct
	SWBP30-37	pediatric finger clip 3m		
	SWSD30-37	adult soft 3m		
<hr/>				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
ASC-553A *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<hr/>				
ARI Medical				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
ARI-800C *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		PK-GDB9w-29/L-220
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<hr/>				
ARI-800C *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		





Reusable SpO2 sensors





compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Armstrong				
AD-1000, AD-2000, AD-3000, AD-4000, AD-900 *BCI (sensor tech.)	SWBD11-06	adult finger clip 1,1m		
	SWON11-06	neonate wrap 1,1m		PK-GDB9z-06/L-220
	SWYG11-06	multi-site 1,1m		
	SWBD30-06	adult finger clip 3m		
	SWBP11-06	pediatric finger clip 1,1m		direct
	SWBP30-06	pediatric finger clip 3m		
	SWYG30-06	multi-site 3m		
Artema/S&W				
Diascope 8000, Athena Diascope 1, Diascope 2, Diascope 3, Diascope G2, ARI-800C *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		PK-GDB9w-80/L-220
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Diascope 8000, Athena Diascope 1, Diascope 2, Diascope 3, Diascope G2, ARI-800C *Artema / S&W - Nellcor (sensor tech.)	SWBD30-80	adult finger clip 3m		direct
	SWBD11-01	adult finger clip 1,1m		
Diascope P9301A *Nellcor OxiSmart (sensor tech.)	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Diascope P9301A *Artema / S&W - Ohmeda (sensor tech.)	SWBD30-19	adult finger clip 3m		direct

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Baxter				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
ASAT *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
BCI/Smiths Medical				
	SWBD11-06	adult finger clip 1,1m		
1300, 1301, 1302, 1303, 3100, 3101, 3180, 3300, 3301, 3302, 3303, 3304, 3400, 3401, 3403, 3404, 3444, 4700, 6100, 9100, 9200, Advisor, Autocorr, Capno- check 9004, Mini Torr, Mini Torr Plus, Spectro 10, Spectro 20, Spec- tro2 10, Spectro2 20, Spectro2 30, SurgiVet, Vet/Ox Plus 4600 *BCI (sensor tech.)	SWON11-06	neonate wrap 1,1m		PK-GDB9z-06/L-220
	SWSD11-06	adult soft 1,1m		
	SWYG11-06	multi-site 1,1m		
	SWSI11-06	infant soft 1,1m		direct
	SWBD11-06	adult finger clip 1,1m		
1300, 1301, 3180, 3300, 3404, 3444, 4700, 6100, 9100, Advisor, Autocorr, Mini Torr, Mini Torr Plus, Vet/Ox Plus 4600 *BCI (sensor tech.)	SWON11-06	neonate wrap 1,1m		PK-GDB9z-76/L-220
	SWYG11-06	multi-site 1,1m		
	SWBD30-76	adult finger clip 3m		direct
	SWSD30-76	adult soft 3m		





Reusable SpO2 sensors







compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Biocare				
	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
BM-9000 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWSD30-29	adult soft 3m		direct
BM-9000 *Mindray (sensor tech.)	SWYG30-29	multi-site 3m		
	SWBD30-62D	adult finger clip 3m		direct
BM-9000, BM-9000S, FM-801, FM-801V *Biolight (sensor tech.)	SWSD30-62D	adult soft 3m		
	SWBD11-42D	adult finger clip 1,1m		need
BP-12B, BP-12C *Digital (sensor tech.)	SWYG11-42D	multi-site 1,1m		
	SWBD30-61D	adult finger clip 3m		direct
BP-12B, BP-12C *Goldway (sensor tech.)				
	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
iM15 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
PM-900 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		

Reusable SpO2 sensors

compatible with







Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Biocare				
PM-900 *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
Biolight				
M12, M6, M66, M69, M8000, M8000A, M8500, M9000, M9000A, MTD-352A *Biolight (sensor tech.)	SWBD30-62D	adult finger clip 3m		direct
	SWSD30-62D	adult soft 3m		
	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
M6, M12, M66, M69, M9000 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
M6, M12, M66, M69, M9000 *Biolight (sensor tech.)	SWBD30-47	adult finger clip 3m		direct
	SWYG30-47	multi-site 3m		
M900, M7000, M8500, M9500 *Biolight (sensor tech.)	SWSD30-68D	adult soft 3m		direct
Bionet				
	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
BM1, BM3, BM5, BM7 *Nellcor OxiSmart (sensor tech.)	SWSD11-01	adult soft 1,1m		
	SWSI11-01	infant soft 1,1m		
	SWSP11-01	pediatric soft 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Bionet				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
BM3Plus, BM3Wide *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		PK-GDB9w-58/L-220
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
BM3Plus, BM3Wide *BNT (sensor tech.)	SWBD30-58	adult finger clip 3m		direct
Biosys				
	SWBD30-01	adult finger clip 3m		
	SWBP30-01	pediatric finger clip 3m		
BPM-200, B- PM-700, Guardian, SENTRY *Nellcor OxiSmart (sensor tech.)	SWSD30-01	adult soft 3m		direct
	SWSP30-01	pediatric soft 3m		
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
BPM-300 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		

Reusable SpO2 sensors

compatible with







Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Bruker				
DC-3002, IH, M3 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-63/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
CareFusion>Alaris				
VitalCheck 4400, VitalCheck 4410 *CSI (sensor tech.)	SWBD30-75	adult finger clip 3m		direct
	SWSD30-75	adult soft 3m		
Carewell				
CPM-9000T *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
CPM-9000T *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		
CPM-9000W *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
CPM-9000W *Unicare (sensor tech.)	SWBD30-66D	adult finger clip 3m		direct





Reusable SpO2 sensors






compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
CAS Medical				
Oscillomate 9002 / 9303 / 9302S *Nonin (sensor tech.)	SWBD11-08	adult finger clip 1,1m		need
	SWBP11-08	pediatric finger clip 1,1m		
	SWSD11-08	adult soft 1,1m		
	SWSI11-08	infant soft 1,1m		
	SWSP11-08	pediatric soft 1,1m		
	SWUD11-08	adult ear clip 1,1m		
Charmcare				
CX100, ACCURO *Nellcor OxiSmart (sensor tech.)	SWBD30-01	adult finger clip 3m		direct
	SWBP30-01	pediatric finger clip 3m		
	SWSD30-01	adult soft 3m		
	SWSP30-01	pediatric soft 3m		
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		
PRIZM 3 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
ChoiceMMed				
MMED100H, MMED300A, MMED-6000DP *ChoiceMMed (sensor tech.)	SWBD30-84D	adult finger clip 3m		direct

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
ChoiceMMed				
MMED3001, MD300K, MA300K2, MD300M, MMED6000DP-M3 *BCI (sensor tech.)	SWBD11-06	adult finger clip 1,1m		direct
	SWON11-06	neonate wrap 1,1m		
	SWSD11-06	adult soft 1,1m		
	SWSI11-06	infant soft 1,1m		
	SWYG11-06	multi-site 1,1m		
MMED6000DP-M12, MMED-6000DP-S6, MMED6000DP-P61 *BCI (sensor tech.)	SWBD11-06	adult finger clip 1,1m		need
	SWBD30-96	adult finger clip 3m		
	SWYG11-06	multi-site 1,1m		
MMED6000DP-SF *Nellcor OxiSmart (sensor tech.)	SWON11-06	neonate wrap 1,1m		direct
	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-37/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
SWYG11-01	multi-site 1,1m			
MMED6000DP-SF *Goldway (sensor tech.)	SWBD30-37	adult finger clip 3m		direct
	SWBP30-37	pediatric finger clip 3m		
	SWSD30-37	adult soft 3m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Comen				
C20, C60, C80, C90 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
C21, C30, C50, C70, C80, C100, C100A, NC3, NC5, NC8, NC12, NC19 *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
Start-8000A, Start-8000B, Start-8000C, Star-8000D, Start-8000H, Star-5000B, Start-5000C *Unicare (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
	SWBD30-66D	adult finger clip 3m		
Start-8000E *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Contec				
CMS60C / CW / D / DW, CMS60, PM50, PM60D, CSM5000, CMS5000C, CMS5100, CMS6000, CMS7000 / 8000 / 9000, CMS-5000-VET / 6000-VET, CMS-8000-VET / 60D-VET *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
CMS60C / CW / D / DW, CMS60, PM50, PM60D, CSM5000, CMS5000C, CMS5100, CMS6000, CMS7000 / 8000 / 9000, CMS-5000-VET / 6000-VET, CMS-8000-VET / 60D-VET *Edan (sensor tech.)	SWBD30-46D	adult finger clip 3m		direct
	SWYG30-46D	multi-site 3m		

Reusable SpO2 sensors

compatible with










Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Contec				
	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
HMS6500 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWBD30-29	adult finger clip 3m		direct
HMS6500 *Mindray (sensor tech.)	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		
Creative				
	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
PC9000, UP-6000 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWBD30-29	adult finger clip 3m		direct
PC9000, UP-6000 *Mindray (sensor tech.)	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		
UP-7000, UP-9000, PC-66V, PC-900, PC-900A ,PC-900S, PC-900SN, PC-3000, PC-66 B, PC-5000A, PC-5000B, PC-9 000B, PC-66A *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
UP-7000, UP-9000, PC-66V, PC-900, PC-900A ,PC-900S, PC-900SN, PC-3000, PC-66 B, PC-5000A, PC-5000B, PC-9 000B, PC-66A *Goldway (sensor tech.)	SWBD30-61D	adult finger clip 3m		direct





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Criticare/CSI				
1100, 2200, 500, 500A, 501, 502 series, 503, 504, 504/P, 504O/P, 504US/P, 507, 507/S, 507O/P, 507E/P/R, 507SD, 508, 509, 581, Poet (602-3A), Poni Scholar *CSI (sensor tech.)	SWSD30-05	adult soft 3m		direct
503 Spot, 503DX, 503DX-W, 503S, 504DX, 504DX/P, 504DXN, 506DN3, 506DNP3, 506DNT3, 506DNTP3, 506DNV3, 506DNVP3, 506LNP3, 506LNT3, 506LNTP3, 506LNV3, 506LNVP3, 506N3, 506NP3, 506NT3, 506NTP3, 506NV3, 506NVP3, 507ELC2, 8000 series, 8100 series, 8100E, 8100EP, Poet (602-3A), Poet Plus, Poet R Plus, Scholar, Scholar III, nCompass, nGenuity *CSI (sensor tech.)	SWBD30-75	adult finger clip 3m		direct
	SWSD30-75	adult soft 3m		direct
Digicare				
	SWBD11-06	adult finger clip 1,1m		PK-GDB9z-76/L-220
	SWON11-06	neonate wrap 1,1m		
Digimax 5500 *BCI (sensor tech.)	SWYG11-06	multi-site 1,1m		
	SWBD30-76	adult finger clip 3m		direct
	SWSD30-76	adult soft 3m		
	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
Hyperton *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Digital-Tech				
C21, C30, C50, C70, C80, C100, C100A, NC3, NC5, NC8, NC12, NC19 *Digital (sensor tech.)	SWYG11-42D	multi-site 1,1m		direct
	SWBD11-42D	adult finger clip 1,1m		


Reusable SpO2 sensors

compatible with




Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
--------------	-----	--------------------	------------------	-----------

Dima

	SWBP11-01	pediatric finger clip 1,1m		
	SWSD11-01	adult soft 1,1m		
	SWSI11-01	infant soft 1,1m		
*Nellcor OxiSmart (sensor tech.)	SWSP11-01	pediatric soft 1,1m		direct
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWON11-01	neonate wrap 1,1m		

Dixon





	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
Storm 5000 *Nellcor OxiSmart (sensor tech.)	SWSD11-01	adult soft 1,1m		direct
	SWSI11-01	infant soft 1,1m		
	SWSP11-01	pediatric soft 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Dixon				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
Storm 5300, Storm 5500, Storm 5800, Storm 5900 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		PK-GDB9w-29/L-220
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<hr/>				
Storm 5300, Storm 5500, Storm 5800, Storm 5900 *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		
	SWSD30-29	adult soft 3m		direct
	SWYG30-29	multi-site 3m		
Dixtal				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
DX 2010, DX 2020, DX 2021, DX 2022, DX 2023, DX 2025, DX 2405, DX 2515, DX 405, DX 7100, DX 7300, DX 8100 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Dolphin				
2100, 2150, 2G00751, ONE Oxi-meters 210 *Dolphin (sensor tech.)	SWBD11-50D	adult finger clip 1,1m		direct

Reusable SpO2 sensors

compatible with







Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Draeger>Siemens				
	SWBP11-01	pediatric finger clip 1,1m		PK-GDB9w-23/L-220
	SWBD11-01	adult finger clip 1,1m		
Infinity Delta, Infinity Gamma, Infinity Kappa, Infinity MultiMed Pod, Infinity Vista, SC 6002XL, SC 7000, SC 8000, SC 9000XL *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWBD30-23	adult finger clip 3m		
Infinity Delta, Infinity Gamma, Infinity Kappa, Infinity MultiMed Pod, Infinity Vista, SC 6002XL, SC 7000, SC 8000, SC 9000XL *Siemens (sensor tech.)	SWSD30-23	adult soft 3m		direct
	SWUD30-23	adult ear clip 3m		
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
Narkomed 4, VitAlert 3200 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWBD30-06	adult finger clip 3m		
Oxipac 2000, Oxipac 2500 *BCI (sensor tech.)	SWBP11-06	pediatric finger clip 1,1m		direct
	SWBP30-06	pediatric finger clip 3m		
	SWYG30-06	multi-site 3m		
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
Sirecust 630, Sirecust 700, Sirem Module SpO2 *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		PK-GDB9w-33/L-220
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Draeger>Siemens				
Vista 120 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Vista 120 *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		
Vista 120 with NE models *Nellcor OxiMax (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Vitalert 1000, Cicero, CATO VITA-RA, PM8014/8060 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-28/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWSD11-01	adult soft 1,1m		
	SWSI11-01	infant soft 1,1m		
	SWSP11-01	pediatric soft 1,1m		
	SWUD11-01	adult ear clip 1,1m		
SWYG11-01	multi-site 1,1m			

Reusable SpO2 sensors

compatible with







Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
DRE				
Pro, Touch, Waveline EZ *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Spectra AG5 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Spectra AG5 *Goldway (sensor tech.)	SWBD30-38	adult finger clip 3m		direct
Waveline Pro+ *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Waveline, Waveline Pro *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
DST				
DS5000A *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
DS5000A *Solaris (sensor tech.)	SWYG30-65D	multi-site 3m		direct
Edan				
H100B *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		direct
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWSD11-01	adult soft 1,1m		
	SWSI11-01	infant soft 1,1m		
	SWSP11-01	pediatric soft 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
iT20, iM20, elite V5/V6/V8 *Mindray (sensor tech.)	SWBD30-48	adult finger clip 3m		direct
	SWBP30-48	pediatric finger clip 3m		
	SWSD30-48	adult soft 3m		
	SWSP30-48	pediatric soft 3m		
	SWUD30-48	adult ear clip 3m		
	SWYG30-48	multi-site 3m		

Reusable SpO2 sensors

compatible with








Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Edan				
M3A, M3B, M50, M8, M80, M8A, M8B, M9, M9A, iM50, iM60, iM70, iM8, iM80, iM8A, iM8B, iM9, iM9A *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
M3A, M3B, M50, M8, M80, M8A, M8B, M9, M9A, iM50, iM60, iM70, iM8, iM80, iM8A, iM8B, iM9, iM9A *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		
Fiji				
NLB7000N / 8000B / 8000NNLB_V3, NBL_K3LeFu:LF-6000A / 6000B / 6000C *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
GE Healthcare>Corometrics				
120, 128, 129, 250, 250cx, 259 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
120, 128, 129, 250, 250cx, 259 *Marquette (sensor tech.)	SWYG11-01	multi-site 1,1m		direct
	SWSD30-21	adult soft 3m		
	SWUD30-21	adult ear clip 3m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
GE Healthcare>Corometrics				
120, 510, 511, 118, 556 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Corometrics® 250 Series option *Marquette OxiMax (sensor tech.)	SWBD30-21P	adult finger clip 3m		direct
GE Healthcare>Criticon>Dinamap				
Dinamap 8700, Dinamap 8710, Dinamap 8720, Dinamap Pro, Dinamap Pro 8280, Dinamap Pro 9700, Dinamap Pro 9710, Oxyshuttle 1 *Johnson (sensor tech.)	SWBD30-10	adult finger clip 3m		direct
	SWBD30-01	adult finger clip 3m		
Dinamap 9700/9701 9702 PLUS, MPS PORTABLE, COMPACT *Nellcor OxiSmart (sensor tech.)	SWBP30-01	pediatric finger clip 3m		direct
	SWSD30-01	adult soft 3m		
	SWSP30-01	pediatric soft 3m		
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		
Dinamap ProSeries V1, Dinamap Pro 1000 V2 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
--------------	-----	--------------------	------------------	-----------

GE Healthcare>Datex Ohmeda







	SWBD11-09	adult finger clip 1,1m			
	SWON11-09	neonate wrap 1,1m			
	SWSD11-09	adult soft 1,1m		need	
	SWSP11-09	pediatric soft 1,1m			
AS/3, AS/3 Compact, Aespire, Aespire 15, CG/2S, CH-RS, CH/2S, CH/S, CS/3, CS/5, CS/5 Compact, Capnomac Ultima, Cardiocap I, Cardiocap II, Cardiocap/5, Light Monitor, M-ESTP, M-NESTPR, M-PRESTN, OSP-200, Oscar II, Satellite, Satellite Plus II, Satellite Trans, System 5, Trans Plus, ULTS00, ULTSIO, ULTSVI, ULTSVO *Datex (sensor tech.)	SWUD11-09	adult ear clip 1,1m			
	SWYG11-09	multi-site 1,1m			
	SWBD30-09	adult finger clip 3m			
	SWON30-09	neonate wrap 3m			
	SWSD30-09	adult soft 3m		direct	
	SWSI30-09	infant soft 3m			
	SWUD30-09	adult ear clip 3m			
		SWYG30-09	multi-site 3m		
	AS/3, CS/3, S/5 with M-NSAT Module *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		
		SWBP11-01	pediatric finger clip 1,1m		
SWON11-01		neonate wrap 1,1m		PK-GDB9w-69/L-220	
SWUD11-01		adult ear clip 1,1m			
SWYG11-01		multi-site 1,1m			





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
GE Healthcare>Datex Ohmeda				
<p>CARESCAPE modular monitors and S/5, AS/3 and CS/3 modular monitors with M-NE12ST(P)R, M-(N)EST(P) (R) or M-(P)RESTN modules; Cardiocap/5 and S/5 Light Monitors *GE OxyTip+ (sensor tech.)</p>	SWYG11-127	multi-site 1,1m		PK-GOXY-121/L-300
	SWBD11-117	adult finger clip 1,1m		need
	SWBD11-127	adult finger clip 1,1m		need
	SWUD11-127	adult ear clip 1,1m		need
	SWYG11-117	multi-site 1,1m		need
<p>CARESCAPE modular monitors and S/5, AS/3 and CS/3 modular monitors with M-NE12ST(P)R, M-(N)EST(P) (R) or M-(P)RESTN modules; Cardiocap/5 and S/5 Light Monitors *GE TruSignal (sensor tech.)</p>	SWBP11-117	pediatric finger clip 1,1m		need
	SWUD11-117	adult ear clip 1,1m		need
<p>Hand-held pulse oximeters (GE Ohmeda TuffSat*, 3775), tabletop pulse oximeters (3700 series, 3800, 3900, 3900P), respiratory gas monitors (4700, 5250 RGM), CARESCAPE modular monitors and S/5, AS/3, CS/3 modular monitors with M-OSAT module, Cardiocap*/5 with N-XOSAT option *GE OxyTip+ (sensor tech.)</p>	SWBD11-127	adult finger clip 1,1m		need
	SWUD11-127	adult ear clip 1,1m		need
	SWYG11-127	multi-site 1,1m		need
<p>Hand-held pulse oximeters (GE Ohmeda TuffSat*, 3775), tabletop pulse oximeters (3700 series, 3800, 3900, 3900P), respiratory gas monitors (4700, 5250 RGM), CARESCAPE modular monitors and S/5, AS/3, CS/3 modular monitors with M-OSAT module, Cardiocap*/5 with N-XOSAT option *GE TruSignal (sensor tech.)</p>	SWBD11-117	adult finger clip 1,1m		need
	SWBP11-117	pediatric finger clip 1,1m		need
	SWSD11-117	adult soft 1,1m		need
	SWUD11-117	adult ear clip 1,1m		need
	SWYG11-117	multi-site 1,1m		need
<p>Hand-held pulse oximeters (GE Ohmeda TuffSat*, 3775), tabletop pulse oximeters (3700 series, 3800, 3900, 3900P), respiratory gas monitors (4700, 5250 RGM), CARESCAPE modular monitors and S/5, AS/3, CS/3 modular monitors with M-OSAT module, Cardiocap*/5 with N-XOSAT option *Ohmeda (sensor tech.)</p>	SWBD30-02	adult finger clip 3m		direct
	SWSD30-02	adult soft 3m		direct
	SWUD30-02	adult ear clip 3m		direct
	SWYG30-02	multi-site 3m		direct

Reusable SpO2 sensors

compatible with







Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
GE Healthcare>Datex Ohmeda				
TruSat, TruSat ED, TruSat TD5 *GE TruSignal (sensor tech.)	SWBD11-117	adult finger clip 1,1m		need
	SWBP11-117	pediatric finger clip 1,1m		
	SWUD11-117	adult ear clip 1,1m		
	SWYG11-117	multi-site 1,1m		
TruSat, TruSat ED, TruSat TD5 *GE OxyTip+ (sensor tech.)	SWBD11-127	adult finger clip 1,1m		need
	SWUD11-127	adult ear clip 1,1m		
	SWYG11-127	multi-site 1,1m		
TruSat, TruSat ED, TruSat TD5 *GE Ohmeda TruSat (sensor tech.)	SWAD/N30-60	adult & infant wrap 3m		direct
	SWSD30-60	adult soft 3m		
GE Healthcare>Hellige				
Cardioserv Eagle 1000-3000 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
SWYG11-01	multi-site 1,1m			
GE Healthcare>Marquette				
7000 Series *Ohmeda (sensor tech.)	SWBD30-02	adult finger clip 3m		direct
	SWSD30-02	adult soft 3m		
	SWUD30-02	adult ear clip 3m		
	SWYG30-02	multi-site 3m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
GE Healthcare>Marquette				
CARESCAPE modular monitors and S/5, AS/3 and CS/3 modular monitors with E- (P)RESTN or E-PSM(P) / E-PSMP modules. CARESCAPE V100 with TruSignal option, Responder, B20 and B40 monitors *GE OxyTip+ (sensor tech.)	SWBD11-127	adult finger clip 1,1m		PK-GOXY-121/L-300
	SWUD11-127	adult ear clip 1,1m		
CARESCAPE modular monitors and S/5, AS/3 and CS/3 modular monitors with E- (P)RESTN or E-PSM(P) / E-PSMP modules. CARESCAPE V100 with TruSignal option, Responder, B20 and B40 monitors *GE TruSignal (sensor tech.)	SWBD11-117	adult finger clip 1,1m		need
	SWBP11-117	pediatric finger clip 1,1m		
	SWSD30-121	adult soft 3m		
	SWUD11-117	adult ear clip 1,1m		
	SWYG11-117	multi-site 1,1m		
CARESCAPE modular monitors and S/5, AS/3 and CS/3 modular monitors with E- (P)RESTN or E-PSM(P) / E-PSMP modules. CARESCAPE V100 with TruSignal option, Responder, B20 and B40 monitors *Ohmeda (sensor tech.)	SWBD30-121	adult finger clip 3m		direct
	SWSP30-121	pediatric soft 3m		
	SWUD30-121	adult ear clip 3m		
	SWYG30-121	multi-site 3m		
CARESCAPE Monitor B850 with CARESCAPE Patient Data Module option with Tram module 451N5/851N5 CARESCAPE Monitor B650 with CARESCAPE Patient Data Module option CARESCAPE V100 option Cardiolab/Mac-Lab with Tram module 451N5 Dash 2500 option Dash 3000/4000/5000 with Solar 8000/8000M/8000i and 9500 with Tram module 451N5/851N5 Solar 8000M v5/8000i v5 with CARESCAPE Patient Data Module with E-NSATX module for S/5, AS/3, CS/3 modular monitors and CARESCAPE modular monitors with Nellcor OxiMax option *Marquette OxiMax (sensor tech.)	SWBD30-21P	adult finger clip 3m		direct

Reusable SpO2 sensors

compatible with









Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
GE Healthcare>Marquette				
<p>CARESCAPE Monitor B850 with Tram module 451/451N/851/851N CardioLab/Mac-Lab with Tram module 451/451N Corometrics 120/2120 Series Dash 3000/4000 (v5 or lower) with legacy Marquette option Dash 3000/4000/5000 with GE Ohmeda option Responder 3000 with Nellcor OxiSmart option Solar 8000/8000M/8000i and 9500 with Tram module 451/451N/851/851N *Nellcor OxiSmart (sensor tech.)</p>	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<p>CARESCAPE Monitor B850 with Tram module 451/451N/851/851N CardioLab/Mac-Lab with Tram module 451/451N Corometrics 120/2120 Series Dash 3000/4000 (v5 or lower) with legacy Marquette option Dash 3000/4000/5000 with GE Ohmeda option Responder 3000 with Nellcor OxiSmart option Solar 8000/8000M/8000i and 9500 with Tram module 451/451N/851/851N *Marquette (sensor tech.)</p>	SWBD30-21	adult finger clip 3m		direct
	SWSD30-21	adult soft 3m		
	SWUD30-21	adult ear clip 3m		
<p>CARESCAPE V100 Corometrics 250 Series Dash 2500 Dash 3000/4000/5000 S/5, AS/3, CS/3 modular monitors with E-MASIMO module CardioLab/Mac-Lab with Tram module 451M CARESCAPE Monitor B850 with CARESCAPE Patient Data Module with E-MASIMO module with Masimo SpO2 module for Tram-Rac with Tram module 451M/851M CARESCAPE Monitor B650 with CARESCAPE Patient Data Module with E-MASIMO module Solar 8000M v5/8000i v5 with CARESCAPE Patient Data Module with Tram module 451M/851M Solar 8000/8000M/8000i with Masimo SpO2 module for Tram-Rac with Tram module 451M/851M Solar 9500 with Tram module 451M/851M PROCARE Monitor B40 PROCARE Monitor B20 with M-Tech option *Masimo LNOP (sensor tech.)</p>	SWBD11-125	adult finger clip 1,1m		need
	SWYG11-125	multi-site 1,1m		need





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
GE Ohmeda OxyTip+				
GE S/5 (i4 E series module built in) *Ohmeda (sensor tech.)	SWSD30-121	adult soft 3m		direct
	SWUD11-121	adult finger clip 1,1m		
	SWSD40-121	adult finger 4m		
	SWBD30-121	adult finger clip 3m		
	SWSP30-121	pediatric soft 3m		
	SWBD40-121	adult finger clip 4m		
GE TruSignal/OxyTip+				
GE OxyTip+ *GE TruSignal (sensor tech.)	SWBD11-127	adult finger clip 1,1m		
	SWUD11-127	adult ear clip 1,1m		
	SWYG11-127	multi-site 1,1m		
GE TruSignal *GE TruSignal (sensor tech.)	SWBD11-117	adult finger clip 1,1m		
	SWBP11-117	pediatric finger clip 1,1m		
	SWSD11-117	adult soft 1,1m		
	SWUD11-117	adult ear clip 1,1m		
	SWYG11-117	multi-site 1,1m		
General Meditech				
G1B, G1B, G2A, G3A, G3C, G3D *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		direct
	SWYG11-42D	multi-site 1,1m		
G2A, G3A, G3C, G3D, G3F, G3G, G3H, G3L, G6A, G6A plus, G9L *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
G2A, G3A, G3C, G3D, G3F, G3G, G3H, G3L, G6A, G6A plus, G9L *Solaris (sensor tech.)	SWYG30-65D	multi-site 3m		direct

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
General Meditech				
G3D *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-37/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
G3D *Goldway (sensor tech.)	SWBD30-37	adult finger clip 3m		direct
	SWBP30-37	pediatric finger clip 3m		
	SWSD30-37	adult soft 3m		
Guoteng				
GT3000, GT5000, GT6000, GT7000, GT9000, GT9002 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Heal Force				
Classic 120, Prince 100F *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
Classic 120, Prince 100F *Goldway (sensor tech.)	SWBD30-61D	adult finger clip 3m		direct





Reusable SpO2 sensors





compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Heal Force				
Prince 180D *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-37/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Prince 180D *Goldway (sensor tech.)	SWBD30-37	adult finger clip 3m		direct
	SWBP30-37	pediatric finger clip 3m		
	SWSD30-37	adult soft 3m		
HwaTime				
PM-2000A Pro, PM1000F *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
IBIO R&DT				
RD9015, RD9012, RD9010, RD9008 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		

Reusable SpO2 sensors

compatible with




Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Infinium				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
Omni *Nellcor OxySmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Omni, Omni II *Digital (sensor tech.)	SWYG11-42D	multi-site 1,1m		need
Innocare				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
VET-Multi-Parameter *Nellcor OxySmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Invivo				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
4500, 4500 Plus, Millennia, Omega 1445, Omni-Trak TVS, Sat Scout *Nellcor OxySmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		






Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Ivy Biomedical				
405A, 405D *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		direct
	SWUD11-01	adult ear clip 1,1m		
SWYG11-01	multi-site 1,1m			

Jeteem				
BD-6000, BD-9000 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		

Reusable SpO2 sensors

compatible with








Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Jumbor				
JB9101/9105/9107 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-37/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
JB9101/9105/9107 *Goldway (sensor tech.)	SWBD30-37	adult finger clip 3m		direct
	SWBP30-37	pediatric finger clip 3m		
	SWSD30-37	adult soft 3m		
Kontron				
7138, 7840, 7845 *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
7138, 7840, 7845 *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Kontron				
7150, 7850 *Nellcor OxySmart (sensor tech.)	SWBD30-01	adult finger clip 3m		direct
	SWBP30-01	pediatric finger clip 3m		
	SWSD30-01	adult soft 3m		
	SWSP30-01	pediatric soft 3m		
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		
LG Medical Design				
VitalView I, VitalView II *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
VitalView I, VitalView II *Solaris (sensor tech.)	SWYG30-65D	multi-site 3m		direct
Lohmeier				
M010, M011	SWBD30-64	adult finger clip 3m		direct
Lumeon				
Hand-held Oximeter *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		direct
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWSD11-01	adult soft 1,1m		
	SWSI11-01	infant soft 1,1m		
	SWSP11-01	pediatric soft 1,1m		
	SWUD11-01	adult ear clip 1,1m		
SWYG11-01	multi-site 1,1m			

Reusable SpO2 sensors

compatible with








Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Lutech				
Datalys 780 *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
Datalys 780 *Unicare (sensor tech.)	SWBD30-66D	adult finger clip 3m		direct
Masimo				
Compatible with Masimo 9-pin(DB9) LNCS connector *Masimo LNCS Rainbow (sensor tech.)	SWBD11-49	adult finger clip 1,1m		need
	SWBP11-49	pediatric finger clip 1,1m		
	SWSD11-49	adult soft 1,1m		
M&B/Mbelec				
MB526, MB526+, MB526T8, MB526T12, MB526+tw, MB800, CD2000, CD2000+ *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
MDE				
20300, 20401, 20403, Prism *Nellcor OxySmart (sensor tech.)	SWBD30-01	adult finger clip 3m		direct
	SWSD30-01	adult soft 3m		
	SWSP30-01	pediatric soft 3m		
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		
MedChoice				
M12 *ChoiceMMed (sensor tech.)	SWBD30-84D	adult finger clip 3m		direct





Reusable SpO2 sensors

compatible with


Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
MedChoice				
M12, M7 *ChoiceMMed (sensor tech.)	SWBD11-06	adult finger clip 1,1m		need
	SWON11-06	neonate wrap 1,1m		
	SWYG11-06	multi-site 1,1m		
M12, M7 *BCI (sensor tech.)	SWBD30-96	adult finger clip 3m		direct
Medec				
M-1000, M-1100, MEDEC-1000 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-29/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
M-1000, M-1100, MEDEC-1000 *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		
Medexcel				
MD50 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Mediblu				
	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-37/L-220
	SWBP11-01	pediatric finger clip 1,1m		
MM12 *Nellcor OxySmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	SWBD30-37	adult finger clip 3m		direct
MM12 *Goldway (sensor tech.)	SWBP30-37	pediatric finger clip 3m		
	SWSD30-37	adult soft 3m		
	SWBD11-42D	adult finger clip 1,1m		need
MM12 *Digital (sensor tech.)	SWYG11-42D	multi-site 1,1m		
	SWBD30-65D	multi-site 3m		direct
MM12 *Solaris (sensor tech.)	SWYG30-65D	multi-site 3m		
Medica D				
	SWBD11-42D	adult finger clip 1,1m		need
Vitacare *Digital (sensor tech.)	SWYG11-42D	multi-site 1,1m		
	SWBD30-46D	adult finger clip 3m		direct
Edan (*Digital Tech)	SWYG30-46D	multi-site 3m		
Medlab				
	SWBD11-06	adult finger clip 1,1m		PK-GDB9z-76/L-220
	SWON11-06	neonate wrap 1,1m		
NANOX 10, POX 10, Perarl 10 *BCI (sensor tech.)	SWYG11-06	multi-site 1,1m		
	SWBD30-76	adult finger clip 3m		direct
	SWSD30-76	adult soft 3m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Medtronic>Physio Control				
Lifepak 12 *Nellcor OxiSmart (sensor tech.)	SWBD30-01	adult finger clip 3m		direct
	SWBP30-01	pediatric finger clip 3m		
	SWSD30-01	adult soft 3m		
	SWSP30-01	pediatric soft 3m		
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		
MEK				
MP 7000, PM 800 (PAMO II) *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
MP100, MP110, MP400, MP 1000 *MEK (sensor tech.)	SWSD30-26	adult soft 3m		direct
MP1000 NT *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-56/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
MP1000 NT *MEK (sensor tech.)	SWBD30-56	adult finger clip 3m		direct

Reusable SpO2 sensors

compatible with






Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
MEK				
PM 800 (PAMO II), PM570, PM2500, MP700 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Mennen				
Envoy *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Horizon 1100, 2000X *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Horizon 2000, Mercury 1200 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Mennen				
Horizon XL *Ohmeda (sensor tech.)	SWBD30-02	adult finger clip 3m		direct
	SWSD30-02	adult soft 3m		
	SWUD30-02	adult ear clip 3m		
	SWYG30-02	multi-site 3m		
Mindray>Datascope				
503, 507, 508, 509, PM9000 *CSI (sensor tech.)	SWSD30-05	adult soft 3m		direct
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWSD11-01	adult soft 1,1m		
	SWSI11-01	infant soft 1,1m		
	SWSP11-01	pediatric soft 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
	6201, 809B, Accutorr V, DPM1, DPM2, DPM3, DPM4, DPM5, Duo, MEC 100, MEC 1000, MEC 1200, MEC 200, MEC 2000, PM 600, PM 6000 (New), PM 7000, PM 8000, PM 9000, PM 9000 Express, Passport V, Passport XG, Trio, VS 800, VS 900 *Nellcor OxySmart (sensor tech.)	SWBD30-29		
SWSD30-29		adult soft 3m		
SWYG30-29		multi-site 3m		
6201, 809B, Accutorr V, DPM1, DPM2, DPM3, DPM4, DPM5, Duo, MEC 100, MEC 1000, MEC 1200, MEC 200, MEC 2000, PM 600, PM 6000 (New), PM 7000, PM 8000, PM 9000, PM 9000 Express, Passport V, Passport XG, Trio, VS 800, VS 900 *Mindray (sensor tech.)	SWBD30-29	adult finger clip 3m		direct
	SWSD30-29	adult soft 3m		
	SWYG30-29	multi-site 3m		

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Mindray>Datascope				
BeneVision, BeneView, iPM, iMEC, uMEC series monitors, VS-600/900, BeneHeart defibrillators, DPM 6, DPM 7 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-48/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
BeneVision, BeneView, iPM, iMEC, uMEC series monitors, VS-600/900, BeneHeart defibrillators, DPM 6, DPM 7 *Mindray (sensor tech.)	SWBD30-48	adult finger clip 3m		direct
	SWBP30-48	pediatric finger clip 3m		
	SWSD30-48	adult soft 3m		
	SWSP30-48	pediatric soft 3m		
	SWUD30-48	adult ear clip 3m		
SWYG30-48	multi-site 3m			
PM-5000, PM-6000, PM-8000 *Nellcor OxySmart (sensor tech.)	SWBP11-01	pediatric finger clip 1,1m		PK-GDB9w-22/L-220
	SWBD11-01	adult finger clip 1,1m		need
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
PM-6000 *Mindray-Masimo (sensor tech.)	SWBD30-22M	adult finger clip 3m		direct
PM-6000, PM-8000 *Mindray-Masimo (sensor tech.)	SWBD30-29M	adult finger clip 3m		direct





Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Mindray>Datascope				
Trio, Passport 2, Spectrum *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Nellcor				
N-10, N-100, N-180, N-190, N-20, N-200, N-30, N-3000, N-390, N-395, N-6000, NPB-190, NPB-195, NPB-290, NPB-295, NPB-3910, NPB-3920, NPB-3930, NPB-3940, NPB-40, NPB-4000, NPB-75, Symphony N-3000 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		direct
	SWBD30-01	adult finger clip 3m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWBP30-01	pediatric finger clip 3m		
	SWON11-01	neonate wrap 1,1m		
	SWSD11-01	adult soft 1,1m		
	SWSI11-01	infant soft 1,1m		
	SWSP11-01	pediatric soft 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
N-3000, N-390, N-395, N-6000, NPB-290, NPB-295, Symphony N-3000 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		


Reusable SpO2 sensors

compatible with




Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
--------------	-----	--------------------	------------------	-----------



Nellcor

	SWBD11-01X	adult finger clip 1,1m		
	SWBD11-01XP	adult finger clip 1,1m		
	SWBD30-01X	adult finger clip 3m		
	SWBP11-01X	pediatric finger clip 1,1m		
	SWBP11-01XP	pediatric finger clip 1,1m		
N-65 *Nellcor OxyMax (sensor tech.)	SWSD11-01X	adult soft 1,1m		direct
	SWSP11-01X	pediatric soft 1,1m		
	SWUD11-01X	adult ear clip 1,1m		
	SWYG11-01X	multi-site 1,1m		
	SWYG30-01X	multi-site 3m		

Nellcor-Tyco

	SWSD30-01	adult soft 3m		
NPB40, NPB20, NPB75, NPB180, NPB185, NPB190, NPB195, NPB3900, NPB4000 *Nellcor OxySmart (sensor tech.)	SWSP30-01	pediatric soft 3m		direct
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		






NewTech

*Solaris (sensor tech.)	SWYG30-65D	multi-site 3m		direct
NT1A, NT1B, NT1D *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		direct
	SWYG11-42D	multi-site 1,1m		



Reusable SpO2 sensors






compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Newtech				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
NT3A, NT3B, NT3E, NT3F, NT3B60 *Nellcor OxySmart (Sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
NT3A, NT3B, NT3E, NT3F, NT3B60 *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
Nihon Kohden				
	CWYG15-16	multi-site 1,5m		
	SWBD15-16	adult finger clip 1,5m		
	SWON15-16	neonate wrap 1,5m		
2303 Life Scope I, 2353 Life Scope L, 4103, 4111, 4113 4114A, 5135, BSM-2301, BSM-2351, BSM-4101, BSM-4102, BSM-4102A, BSM-5105, BSM-6000, BSM-9101, Life Scope A, Life Scope J, Life Scope P, PVM-2701 *Nihon Kohden (sensor tech.)	SWSD15-16	adult soft 1,5m		PK-GDB9o-36/L-300
	SWSI15-16	infant soft 1,5m		
	SWSP15-16	pediatric soft 1,5m		
	SWUD15-16	adult ear clip 1,5m		
	SWBD30-36	adult finger clip 3m		direct
	SWSD30-36	adult soft 3m		
BSM-1101 Life Scope EC, BSM-2101/2 Life Scope L, BSM-3101 Life Scope LC, BSM-7100/7200 Life Scope 8, BSM-8200/1 Life Scope 12, BSM-8301/2 Life Scope 9, NT3B, OLV-1100A, SM-8800 Life Scope 14 *Nihon Kohden (sensor tech.)	CWYG15-16	multi-site 1,5m		
	SWBD15-16	adult finger clip 1,5m		need
	SWON15-16	neonate wrap 1,5m		
	SWUD15-16	adult ear clip 1,5m		

Reusable SpO2 sensors

compatible with









Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Nihon Kohden				
Life Scope N, OLV-2700k, OPV-1500 *Nihon Kohden (sensor tech.)	SWBD15-16	adult finger clip 1,5m		PK-GDB9o-36/L-300
	CWYG15-16	multi-site 1,5m		
	SWON15-16	neonate wrap 1,5m		need
	SWUD15-16	adult ear clip 1,5m		
SVM-7501, SVM-7503, SVM-7521, SVM 7600 Series *Nihon Kohden (sensor tech.)	CWYG15-16	multi-site 1,5m		need
	SWBD15-16	adult finger clip 1,5m		
	SWON15-16	neonate wrap 1,5m		
	SWUD15-16	adult ear clip 1,5m		
Nonin				
2120, 2500, 2500A, 7500, 8000Q, 8500, 8550, 8600, 8700, 8800, 9600, 9700, 9840, 9843, 9847V, Xpod 3012, Xpod 3012LP *Nonin (sensor tech.)	SWBD11-08	adult finger clip 1,1m		need
	SWBP11-08	pediatric finger clip 1,1m		
	SWSD11-08	adult soft 1,1m		
	SWSI11-08	infant soft 1,1m		
	SWSP11-08	pediatric soft 1,1m		
	SWUD11-08	adult ear clip 1,1m		
8604 *Nonin (sensor tech.)	SWBD11-08	adult finger clip 1,1m		PK-GDB9z-08/L-220
	SWBP11-08	pediatric finger clip 1,1m		
	SWUD11-08	adult ear clip 1,1m		
	SWBD30-08	adult finger clip 3m		direct
	SWSD30-08	adult soft 3m		





Reusable SpO2 sensors





compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Novametrix				
2001, 500, 505, 510, 511, 515, 515A, 515B, 515C, 520, 520A, 7000, 7100, 7200, 7300, Oxypleth *Novametrix (sensor tech.)	SWBD11-03	adult finger clip 1,1m		PK-GDB9w-03/L-220
	SWAP/I30-03	pediatric & infant wrap 3m		
	SWBD30-03	adult finger clip 3m		
	SWBP30-03	pediatric finger clip 3m		direct
	SWON30-03	neonate wrap 3m		
	SWSD30-03	adult soft 3m		
	SWYG30-03	multi-site 3m		
512, 513, 710, 715, MARS *Novametrix (sensor tech.)	SWBD11-73	adult finger clip 1,1m		
	SWBP11-73	pediatric finger clip 1,1m		direct
	SWYG11-73	multi-site 1,1m		
	SWSD11-103	adult soft 1,1m		direct
	SWYG11-103	multi-site 1,1m		
Gemini, Taurus, Virgo, Aquarius *Novametrix (sensor tech.)	SWSD11-103	adult soft 1,1m		direct
	SWYG11-103	multi-site 1,1m		
Omron>Colin				
BP-88S *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		

Reusable SpO2 sensors

compatible with





Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Osen				
9000 *BCI (sensor tech.)	SWBD11-06	adult finger clip 1,1m		need
	SWON11-06	neonate wrap 1,1m		
	SWYG11-06	multi-site 1,1m		
9000 *ChoiceMMed (sensor tech.)	SWBD30-96	adult finger clip 3m		direct
PaceTech				
Model 520 with black face except for Vitalmax 800w *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Palco				
M30/40, M100, M130, M900, M960P, M6 Aster, M4 Nova, M1000 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		





Reusable SpO2 sensors




compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Philips				
C1, C3, HP Viridia 24C, Heart-Start MRx, M3, M3001A, M3001A A01, M3001A A01C06, M3001A A01C12, M3001A A01C18, M4, MP 20, MP 30, MP 40, MP 50, MP 60, MP 70, MP 80, MP 90, Philips Heartstart defibrillator and IntelliVue, SureSigns VS2, SureSigns VS3, VM4, VM6, VM8, Viridia 24C *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-43/L-300
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
C1, C3, HP Viridia 24C, Heart-Start MRx, M3, M3001A, M3001A A01, M3001A A01C06, M3001A A01C12, M3001A A01C18, M4, MP 20, MP 30, MP 40, MP 50, MP 60, MP 70, MP 80, MP 90, Philips Heartstart defibrillator and IntelliVue, SureSigns VS2, SureSigns VS3, VM4, VM6, VM8, Viridia 24C *Philips (sensor tech.)	SWBD30-91	adult finger clip 3m		direct
	SWBP30-91	pediatric finger clip 3m		
	SWON30-91	neonate wrap 3m		
	SWSD11-103	adult soft 1,1m		
	SWSP30-91	pediatric soft 3m		
	SWUD30-91	adult ear clip 3m		

Reusable SpO2 sensors

compatible with






Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Philips				
	SWAD/N11-91	adult & infant wrap 1,1m		
SureSigns VM Monitors (863063, 863064, 863065, 863066, 863068, 863077) SureSigns VS3 Monitors (863071, 863072, 863073, 863074) M1020B Opt. A01 M3000A/ M3001A Opt. A01 M3002A Opt. A01 MMS X2 M8102A MP2 M8105A MP5 *Philips (sensor tech.)	SWBP11-91	pediatric finger clip 1,1m		
	SWON11-91	neonate wrap 1,1m		PK-G41-40/L-220
	SWUD11-91	adult ear clip 1,1m		
	SWYG1-91	multi-site 1,1m		
	SWBD11-01	adult finger clip 1,1m		
SureSigns VM Monitors (863063, 863064, 863065, 863066, 863068, 863077) SureSigns VS3 Monitors (863071, 863072, 863073, 863074) M1020B Opt. A01 M3000A/ M3001A Opt. A01 M3002A Opt. A01 MMS X2 M8102A MP2 M8105A MP5 *Nellcor OxySmart (sensor tech.)	SWBD11-91	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		need
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
SureSigns VM Monitors (863063, 863064, 863065, 863066, 863068, 863077) SureSigns VS3 Monitors (863071, 863072, 863073, 863074) M1020B Opt. A01 M3000A/ M3001A Opt. A01 M3002A Opt. A01 MMS X2 M8102A MP2 M8105A MP5 *Philips (sensor tech.)	SWBD30-20	adult finger clip 3m		
	SWSD30-20	adult soft 3m		direct
	SWUD30-20	adult ear clip 3m		











Reusable SpO2 sensors

compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable			
Philips/HP							
	SWAD/N11-91	adult & infant wrap 1,1m					
	SWBD11-91	adult finger clip 1,1m					
	SWBD15-91	adult finger clip 1,5m					
	SWBP11-91	pediatric finger clip 1,1m					
	SWBP15-91	pediatric finger clip 1,5m					
	SWON11-91	neonate wrap 1,1m					
78352C, 78354C, 78834C, M1020A, M1025B, M1025A, M1350B, M1772A/B, M1732A/B, M2475B *Philips (sensor tech.)	SWSD11-91	adult soft 1,1m		PK-G41-40/L-220			
	SWSD15-91	adult soft 1,5m					
	SWSI11-91	infant soft 1,1m					
	SWSI15-91	infant soft 1,5m					
	SWSP11-91	pediatric soft 1,1m					
	SWSP15-91	pediatric soft 1,5m					
	SWUD11-91	adult ear clip 1,1m					
	SWUD15-91	adult ear clip 1,5m					
	Philips>Goldway						
	3100 *Digital (sensor tech.)	SWBD11-42D			adult finger clip 1,1m		need
SWYG11-42D		multi-site 1,1m					
3100 *Goldway (sensor tech.)	SWBD30-61D	adult finger clip 3m		direct			

Reusable SpO2 sensors





compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Philips>Goldway				
UT4000A, UT4000B, UT4000F, UT4000ACS *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-37/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
UT4000A, UT4000B, UT4000F, UT4000ACS *Goldway (sensor tech.)	SWBD11-37	adult finger clip 1,1m		direct
	SWBD30-37	adult finger clip 3m		
	SWBP30-37	pediatric finger clip 3m		
	SWSD30-37	adult soft 3m		
UT4000C, UT4000E, UT4000A Pro, UT4000F Pro, UT6000A *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
UT4000C, UT4000E, UT4000A Pro, UT4000F Pro, UT6000A *Goldway (sensor tech.)	SWBD30-11	adult finger clip 3m		direct
UT4000F Pro *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
UT4000F Pro *Goldway (sensor tech.)	SWBD30-38	adult finger clip 3m		direct



Reusable SpO2 sensors

compatible with


Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Philips>Goldway				
UT6000A, G30, G60 *Philips (sensor tech.)	SWBD30-91	adult finger clip 3m		direct
	SWBP30-91	pediatric finger clip 3m		
	SWON30-91	neonate wrap 3m		
	SWSD30-91	adult soft 3m		
	SWSP30-91	pediatric soft 3m		
	SWUD30-91	adult ear clip 3m		
RGB Medical				
Omicron FT, Omicron PREMIUM *BCI (sensor tech.)	SWBD11-06	adult finger clip 1,1m		need
	SWON11-06	neonate wrap 1,1m		
	SWYG11-06	multi-site 1,1m		
	SWBD30-76	adult finger clip 3m		direct
SWSD30-76	adult soft 3m			
Risingmed				
RPM-9000A *Nellcor OxiSmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
SWYG11-01	multi-site 1,1m			

Reusable SpO2 sensors

compatible with









Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Schiller				
Argus CM8, SM783, SM784, SM785, TM910 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<hr/>				
TM 910-Defigard, 500, ARGUS® LCX ARGUS® LCM plus *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-63/L-220
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<hr/>				
Simed				
S-100, S-100e, S-50 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
<hr/>				
Solaris				
NT2A, NT2C *Philips (sensor tech.)	SWBD30-91	adult finger clip 3m		direct
	SWBP30-91	pediatric finger clip 3m		
	SWON30-91	neonate wrap 3m		
	SWSP30-91	pediatric soft 3m		
	SWUD30-91	adult ear clip 3m		





Reusable SpO2 sensors







compatible with


Manufacturer	REF	Sensor description	Sensor connector	Ext-cable	
Spacelabs					
466, 90308, 90309, 90351-0/6, 90465, 90489, 90651A, PC Scout *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		PK-GDB9w-74/L-300	
	SWBP11-01	pediatric finger clip 1,1m			
	SWON11-01	neonate wrap 1,1m			
	SWUD11-01	adult ear clip 1,1m			
	SWYG11-01	multi-site 1,1m			
466, 90308, 90309, 90351-0/6, 90465, 90489, 90651A, PC Scout *Spacelabs (sensor tech.)	SWBD30-04	adult finger clip 3m		direct	
	SWBD30-74	adult finger clip 3m		direct	
	SWYG30-74	multi-site 3m			
PRO2 *BCI (sensor tech.)	SWBD11-06	adult finger clip 1,1m		direct	
	SWON11-06	neonate wrap 1,1m			
	SWSD11-06	adult soft 1,1m			
	SWSI11-06	infant soft 1,1m			
	SWYG11-06	multi-site 1,1m			
Ultraview 90369, 90419-01, 9046, 90466, 90467, 90489, 90603A, 90651-07/08, 90651A, 90651A-07 *Novamatrix (sensor tech.)	SWBD11-03	adult finger clip 1,1m		PK-GDB9w-03/L-220	
	SWAP/I30-03	pediatric & infant wrap 3m			
	SWBD30-03	adult finger clip 3m			
	SWBP30-03	pediatric finger clip 3m			
	SWON30-03	neonate wrap 3m			
	SWSD30-03	adult soft 3m			
	SWYG30-03	multi-site 3m			

Reusable SpO2 sensors

compatible with



Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Triton				
MRP6-03 P1.19 *Nellcor OxySmart (sensor tech.)	SWBP11-01	pediatric finger clip 1,1m		need
	SWBD11-01	adult finger clip 1,1m		
MRP6-03 T1.19, P1.19, MRP6-03 T2.19, P6.19, MRP6-03 T3.19, P8.19, MRP6-03 T4.19 *Nellcor OxySmart (sensor tech.)	SWBP11-01	pediatric finger clip 1,1m		need
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Unicare				
F6, F8, F9, F15 *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
F6, F8, F9, F15 *Unicare (sensor tech.)	SWBD30-66D	adult finger clip 3m		direct
	SWBD11-01	adult finger clip 1,1m		need
SWBP11-01	pediatric finger clip 1,1m			
F8/S *Nellcor OxySmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Uray				
UR-8000, UR-9000 *Nellcor OxySmart (sensor tech.)	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
SWYG11-01	multi-site 1,1m			





Reusable SpO2 sensors




compatible with

Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
UTAS				
	SWBD11-01	adult finger clip 1,1m		need
	SWBP11-01	pediatric finger clip 1,1m		
UM-300 *Nellcor OxySmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
Utech				
VS2000 *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
VS2000 *Unicare (sensor tech.)	SWBD30-66D	adult finger clip 3m		direct
Votem				
	SWBD30-01	adult finger clip 3m		direct
	SWBP30-01	pediatric finger clip 3m		
VP-1000 *Nellcor OxiSmart (ensor tech.)	SWSD30-01	adult soft 3m		
	SWSP30-01	pediatric soft 3m		
	SWUD30-01	adult ear clip 3m		
	SWYG30-01	multi-site 3m		
VP-1200, VP-700 *MEK (sensor tech.)	SWSD30-26	adult soft 3m		direct

Reusable SpO2 sensors

compatible with














Manufacturer	REF	Sensor description	Sensor connector	Ext-cable
Zondan				
	SWBD11-01	adult finger clip 1,1m		
	SWBP11-01	pediatric finger clip 1,1m		
Apollo N2, Apollo N4, Apollo N5, DS120C *Nellcor OxiSmart (sensor tech.)	SWON11-01	neonate wrap 1,1m		need
	SWUD11-01	adult ear clip 1,1m		
	SWYG11-01	multi-site 1,1m		
ZD120B, ZD120D, ZD120E *Digital (sensor tech.)	SWBD11-42D	adult finger clip 1,1m		need
	SWYG11-42D	multi-site 1,1m		
ZD120B, ZD120D, ZD120E *Unicare (sensor tech.)	SWBD30-66D	adult finger clip 3m		direct





SpO2 interface cables








compatible with

REF	Sensor technology	Cable length	Monitor end connection
Advanced Instrumentations			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
Anke			
PK-GDB9w-37/L-220	Nellcor OxiSmart	2,2m	
ARI Medical			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
Armstrong			
PK-GDB9z-06/L-220	Nellcor OxiSmart	2,2m	
Artema / S&W (Simonsen & Weel)			
PK-GDB9w-80/L-220	Nellcor OxiSmart	2,2m	
BCI			
PK-GDB9z-76/L-220	BCI Tech	2,2m	
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-62/L-220	Biolight Digital Tech	2,2m	
PK-GDB9z-06/L-220	Nellcor OxiSmart	2,2m	
Biolight			
PK-GDB9w-62/L-220	Biolight Digital Tech	2,2m	
Bionet			
PK-GDB9w-58/L-220	Nellcor OxiSmart	2,2m	

SpO2 interface cables

compatible with


















REF	Sensor technology	Cable length	Monitor end connection
Bruker			
PK-GDB9w-63/L-220	Nellcor OxiSmart	2,2m	
Carewell			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
ChoiceMMed			
PK-GDB9w-37/L-220	Nellcor OxiSmart	2,2m	
Contec			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
Creative			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
Digicare			
PK-GDB9z-76/L-220	BCI Tech	2,2m	
Dixion			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	





SpO2 interface cables














compatible with

REF	Sensor technology	Cable length	Monitor end connection
Draeger / Dräger > Siemens			
PK-GDB9x-23/L-300	Nellcor OxiMax	3,0m	
PK-GDB9w-28/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-33/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-23/L-110	Nellcor OxiMax	1,1m	
PK-GDB9w-23/L-220	Nellcor OxiMax	2,2m	
Edan			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
Fukuda Denshi			
PK-GDB9w-70/L-220	Nellcor OxiMax	2,2m	
GE Healthcare (Corometrics / Datex Ohmeda / Critikon)			
GS 10330	Nellcor OxiMax	3,0m	
PK-GOXY-121/L-300	GE OxyTip+	3,0m	
PK-GDB9w-70/L-220	Nellcor OxiMax	2,2m	
PK-GDB9s-119/L-220	GE TruSignal	2,2m	
PK-GDB9w-21/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9m-21/L-220	Masimo (Nellcor non-OxiMax)	2,2m	
PK-GMAS-23P/L-220		2,2m	

SpO2 interface cables

compatible with


















REF	Sensor technology	Cable length	Monitor end connection
GE Healthcare (Corometrics / Datex Ohmeda / Critikon)			
PK-GDB9x-21/L-300	Nellcor OxiMax	3,0m	
PK-GDB9z-09/L-220	Datex Tech	2,2m	
PK-GDB9w-81/L-220	GE OxyTip+	2,2m	
PK-GDB9s-111/L-220	GE TruSignal	2,2m	
PK-GDB9w-69/L-220	Nellcor OxiSmart	2,2m	
General Meditech			
PK-GDB9w-37/L-220	Nellcor OxiSmart	2,2m	
Heal Force			
PK-GDB9w-37/L-220	Nellcor OxiSmart	2,2m	
Ivy Biomedical			
PK-GDB9w-70/L-220	Nellcor OxiMax	2,2m	
Jumbor			
PK-GDB9w-37/L-220	Nellcor OxiSmart	2,2m	
Kontron			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
Masimo			
PK-GMAS-15P/L-220	Masimo LNOP	2,2m	
PK-GDB9m-49/L-110	Masimo LNCS	1,1m	
Medec			
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	





SpO2 interface cables















compatible with

REF	Sensor technology	Cable lenght	Monitor end connection
Mediana			
PK-GDB9w-70/L-220	Nellcor OxiMax	2,2m	
Mediblu			
PK-GDB9w-37/L-220	Nellcor OxiSmart	2,2m	
Medlab			
PK-GDB9z-76/L-220	BCI Tech	2,2m	
MEK			
PK-GDB9w-56/L-220	Nellcor OxiSmart	2,2m	
Mindray > Datascope			
PK-GDB9w-29m/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9m-48/L-220	Masimo LNCS	2,2m	
PK-GDB9x-180/L-300	Nellcor OxiMax	3,0m	
PK-GDB9w-70/L-220	Nellcor OxiMax	2,2m	
PK-GDB9w-29/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9x-48/L-220	Nellcor OxiMax	2,2m	
PK-GDB9x-48/L-300	Nellcor OxiMax	3,0m	
PK-GDB9w-22/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-69/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9m-30/L-220	Masimo LNCS	2,2m	
PK-GDB9w-48/L-220	Nellcor OxiSmart	2,2m	

SpO2 interface cables

compatible with



















REF	Sensor technology	Cable lenght	Monitor end connection
Nellcor			
PK-GDB9w-01X/L-220	Nellcor non-OxiMax	2,2m	
PK-GDB9w-01X/L-030	Nellcor non-OxiMax	0,3m	
PK-GDB9w-70/L-220	Nellcor OxiMax	2,2m	
PK-GDB9x-71/L-110	Nellcor OxiMax	1,1m	
PK-GDB9x-71/L-220	Nellcor OxiMax	2,2m	
PK-GDB9w-01/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-69/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9x-70/L-300	Nellcor OxiMax	3,0m	
Nihon Kohden			
PK-GDB9o-36/L-300	Nihon Kohden	3,0m	
PK-GDB9w-69/L-220	Nellcor OxiSmart	2,2m	
Nonin			
PK-GDB9z-08/L-220	Nonin	2,2m	
PK-GDB9w-08/L-220	Nonin	2,2m	
Novamatrix			
PK-GDB9w-03/L-220	Novamatrix	2,2m	
Oridion			
PK-GDB9w-70/L-220	Nellcor OxiSmart	2,2m	





SpO2 interface cables


compatible with

REF	Sensor technology	Cable length	Monitor end connection
Philips			
PK-GDB9w-43/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-43/L-300	Nellcor OxiSmart	3,0m	
PK-G41-40/L-220	Philips	2,2m	
PK-GDB9m-43/L-220	Masimo LNCS	2,2m	
PK-GDB9x-43/L-300	Nellcor OxiMax	3,0m	
PK-G41-41/L-220	Philips	2,2m	
Philips > Goldway			
PK-GDB9x-38/L-300	Nellcor OxiMax	3,0m	
PK-GDB9w-37/L-220	Nellcor OxiSmart	2,2m	
Schiller			
PK-GDB9w-63/L-220	Nellcor OxiSmart	2,2m	
Spacelabs			
PK-GDB9w-04/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-03/L-220	Novamatrix	2,2m	
PK-GDB9w-74/L-220	Nellcor OxiSmart	2,2m	
PK-GDB9w-74/L-300	Nellcor OxiSmart	3,0m	
PK-GMAS-74/L-220	Masimo LNCS	2,2m	
PK-GDB9m-74P/L-220	Masimo LNOP	2,2m	
PK-GDB9x-74/L-300	Nellcor OxiMax	3,0m	

SpO2 accessories



REF	Type
SOR-EC-01	ear-clip for adults
SOR-E023-12	3 holed foam wrapper
SOR-E024-25	3M material tape for adults / neonates
SOR-E025-25	3M material tape for children / infants
SOR-Y04-E041	ear sensor gripper
SOR-Y04-E019	silicone band





SORIMEX

the heart of experience



Manufactured in accordance with

Medical Device Directive 93/42/EEC (MDD)

Medical Device Regulation (EU) 2017/745 of the European Parliament and of the Council (MDR)
under Article 120 (3)

EN ISO 13485
EN ISO 14971
EN 1041
EN ISO 15223-1
EN ISO 10993-1
EN 62366



Temperature measurement



Reusable temperature sensors

Temperature measurement is a basic, yet extremely important medical procedure. This is because most illnesses are accompanied by increases in body temperature. The temperature measurement is the easiest and, at the same time, the most reliable diagnostic procedure. The entire temperature measuring set consists of a monitoring device, temperature sensor and an optional extension cable.

These temperature measuring sets are used to permanently monitor:

- fluctuations in the temperature of specific body parts
- fluctuations of the skin temperature as a result of specific medical procedures
- role of environment on skin temperature

Temperature measuring sets are used in many clinical areas:

- during anesthesiological procedures
- at operating blocks
- at post-operational units
- at ICUs


Our temperature sensors allow for non-invasive monitoring of patient's temperature. They do not need calibration before using, therefore, the measurement is performed instantly after application. The wide range of temperature sensors that our company offers allows for choosing the best fitting sensor when it comes to the patient's age or weight, as well as the place of application.

Reusable temperature sensors are made of a durable material and have a specific structure that simplifies the cleaning, disinfecting and sterilisation process. The temperature sensor can be used by multiple patients which reduces the cost of the procedure.

Specification

Sensor connector	compatible, with golden plated pins
Cable length	1,5 m or 3,0 m
Cable diameter	2,6 mm for skin temperature sensors 4,0 mm for rectoesophageal temperature sensors
Cable material and colour	TPU cover, light gray
NTC type	YSI400; 2.252K Ω @25°C; 10K Ω @25°C

Reusable temperature sensors





Reusable temperature sensors

compatible with

Manufacturer	REF	Application & cable length	Monitor end plug
--------------	-----	----------------------------	------------------

Artema / S&W (Simonsen & Weel)

STWD30-SWO adult rectoesophageal 3m

STWD30-SWS adult skin 3m

STWP30-SWO pediatric rectoesophageal 3m

STWP30-SWS pediatric skin 3m



Draeger / Dräger > Siemens

STWD15-SMO adult rectoesophageal 1,5m

STWD15-SMS adult skin 1,5m

STWD30-SMO adult rectoesophageal 3m

Infinity Delta, Infinity Gamma, Infinity Kappa, Infinity Vista

STWD30-SMS adult skin 3m

STWP15-SMO pediatric rectoesophageal 1,5m

STWP30-SMO pediatric rectoesophageal 3m

STWP30-SMS pediatric skin 3m



GE Datex Ohmeda





Giraffe Infant Warmer, Omnibed, Panda Infant Warmers

STWP30-OHS pediatric skin 3m



Reusable temperature sensors

compatible with

Manufacturer	REF	Application & cable length	Monitor end plug
GE Marquette			
Dash, E-PRESTN, Eagle, MAC-Lab, PDM Module, SOLAR, Tram, Tram 451, Carescape B650	STWD30-MQO	adult rectoesophageal 3m	
	STWD30-MQS	adult skin 3m	
Mindray > Datascope			
BeneView T1/T1/T5/T8, DPM6, DPM7, Passport 12, Passport 8, iMEC Series, iPM Series, iPM-9800	STWD30-MRO	adult rectoesophageal 3m	
	STWD30-MRS	adult skin 3m	
Philips			
IntelliVue MMS X2, IntelliVue MP2, IntelliVue MX400, IntelliVue MX800, M1029A, M3001A	STWD30-HPO	adult rectoesophageal 3m	
	STWD30-HPS	adult skin 3m	
	STWP30-HPO	pediatric rectoesophageal 3m	
	STWP30-HPS	pediatric skin 3m	
YSI 400			
400 Series (6.3mm Mono Plug)	STWD30-2252O	adult rectoesophageal 3m	
	STWD30-2252S	adult skin 3m	
	STWP30-2252O	pediatric rectoesophageal 3m	
	STWP30-2252S	pediatric skin 3m	

Notes



SORIMEX sp. z o.o. sp. k.

Równinna 25, 87-100 Toruń, Poland

phone +48 56 657 77 51

fax +48 56 657 77 21

office@sorimex.eu

www.sorimex.eu